SEER-MHOS CANCER FILE DATA DICTIONARY

Submission: November 2021

Follow-up Cutoff Date: December 31, 2020

Documentation Version: July 2023

Diagnosis Years: 1975-2019

Note: The Massachusetts, New York and Idaho registry data were included for the first time in the 2020 SEER-Medicare linkage and Texas was included for the first time in 2022 SEER-Medicare linkage. Not all variables are available for these registries. The variables that are available for these registries are indicated in the data dictionary if "Research Plus Limited-Field: Yes". There is no SEER death data for Massachusetts and Idaho. All other registries have death data for SEER and Medicare through 12/31/2020.

PATIENT ID	
SEER REGISTRY	
SEER REGISTRY (WITH CA AND GA AS WHOLE STATES)	
LOUISIANA 2005 – 1 ST VS 2 ND HALF OF THE YEAR	9
MARITAL STATUS AT DIAGNOSIS	9
RACE/ETHNICITY	10
SEX	11
AGE RECODE WITH SINGLE AGES AND 100+	11
AGE RECODE WITH SINGLE AGES AND 85+	11
SEQUENCE NUMBER	12
MONTH OF DIAGNOSIS	
YEAR OF DIAGNOSIS	13
COC ACCREDITED FLAG (2018+)	13
MONTH OF DIAGNOSIS RECODE	
PRIMARY SITE	
LATERALITY	
HISTOLOGY ICD-O-2	16
BEHAVIOR CODE ICD-O-2	
HISTOLOGIC TYPE ICD-O-3	
BEHAVIOR CODE ICD-O-3	
GRADE (THRU 2017)	19
SCHEMA ID (2018+)	
GRADE CLINICAL (2018+)	
GRADE PATHOLOGICAL (2018+)	
DIAGNOSTIC CONFIRMATION	20
TYPE OF REPORTING SOURCE	
EOD 10— SIZE (1988-2003)	22
EOD 10—EXTENT (1988-2003)	
EOD 10—PROSTATE PATH EXT (1995-2003)	
EOD 10—NODES (1995-2003)	
REGIONAL NODES POSITIVE (1988+)	23
REGIONAL NODES EXAMINED (1988+)	
EXPANDED EOD (1) – EXPANDED EOD (13)	
EOD 4 – SIZE (1983-1987)	25
EOD 4 – EXTENT (1983-1987)	25
EOD 4 – NODES (1983-1987)	
CODING SYSTEM – EOD (1973-2003)	
TUMOR MARKER 1 (1990-2003)	
TUMOR MARKER 2 (1990-2003)	28
TUMOR MARKER 3 (1998-2003)	
CS TUMOR SIZE (2004-2015)	30
CS EXTENSION (2004-2015)	
CS LYMPH NODES (2004-2015)	
CS METS AT DX (2004-2015)	31
CS SITE-SPECIFIC FACTOR 1 (2004-2017 VARYING BY SCHEMA)	
CS SITE-SPECIFIC FACTOR 2 (2004-2017 VARYING BY SCHEMA)	
CS SITE-SPECIFIC FACTOR 3 (2004-2017 VARYING BY SCHEMA)	
CS SITE-SPECIFIC FACTOR 4 (2004-2017 VARYING BY SCHEMA)	
CS SITE-SPECIFIC FACTOR 5 (2004-2017 VARYING BY SCHEMA)	
CS SITE-SPECIFIC FACTOR 6 (2004-2017 VARYING BY SCHEMA)	
CS SITE-SPECIFIC FACTOR 7 (2004-2017 VARYING BY SCHEMA)	
CS SITE-SPECIFIC FACTOR 8 (2004-2017 VARYING BY SCHEMA)	

CS SITE-SPECIFIC FACTOR 9 (2004-2017 VARYING BY SCHEMA)	
CS SITE-SPECIFIC FACTOR 10 (2004-2017 VARYING BY SCHEMA)	
CS SITE-SPECIFIC FACTOR 11 (2004-2017 VARYING BY SCHEMA)	. 35
CS SITE-SPECIFIC FACTOR 12 (2004-2017 VARYING BY SCHEMA)	
CS SITE-SPECIFIC FACTOR 13 (2004-2017 VARYING BY SCHEMA)	. 36
CS SITE-SPECIFIC FACTOR 15 (2004-2017 VARYING BY SCHEMA)	
CS SITE-SPECIFIC FACTOR 16 (2004-2017 VARYING BY SCHEMA)	
CS SITE-SPECIFIC FACTOR 25 (2004-2017 VARYING BY SCHEMA)	. 37
DERIVED AJCC T, 6 TH ED (2004-2015)	
DERIVED AJCC N, 6 TH ED (2004-2015)	
DERIVED AJCC M, 6 TH ED (2004-2015)	
DERIVED AJCC STAGE GROUP, 6 TH ED (2004-2015)	
SEER COMBINED SUMMARY STAGE 2000 (2004-2017)	
COMBINED SUMMARY STAGE (2004+)	
CS VERSION INPUT ORIGINAL (2004-2015)	
CS VERSION DERIVED (2004-2015)	
CS VERSION INPUT CURRENT (2004-2015)	
RX SUMM—SURG PRIM SITE (1998+)	
RX SUMM—SCOPE REG LN SUR (2003+)	
RX SUMM-SURG OTH REG/DIS (2003+)	
RX SUMM-REG LN EXAMINED (1998-2002)	
RX SUMM-SYSTEMIC SUR SEQ	47
RX SUMMSURG/RAD SEQ	47
REASON NO CANCER-DIRECTED SURGERY	
RADIATION RECODE	
CHEMOTHERAPY RECODE (YES, NO/UNK)	
SITE SPECIFIC SURGERY (1973-1997 VARYING DETAIL BY YEAR AND SITE)	
SCOPE OF REG LYMPH ND SURG (1998-2002)	
SURGERY OF OTH REG/DIS SITES (1998-2002)	
RECORD NUMBER RECODE	
AGE RECODE WITH <1 YEAR OLDS	
SITE RECODE ICD-O-3/WHO 2008	
SITE RECODE – RARE TUMORS	
BEHAVIOR RECODE FOR ANALYSIS	
HISTOLOGY RECODE—BROAD GROUPINGS	
HISTOLOGY RECODE—BRAIN GROUPINGS	
ICCC SITE RECODE EXTENDED 3RD EDITION/IARC 2017	
TNM 7/CS v0204+ SCHEMA (THRU 2017)	
TNM 7/CS V0204+ SCHEMA RECODE	
RACE RECODE (WHITE, BLACK, OTHER)	
RACE RECODE (W, B, AI, API)	. 64
ORIGIN RECODE NHIA (HISPANIC, NON-HISP)	. 65
RACE AND ORIGIN RECODE (NHW, NHB, NHAIAN, NHAPI, HISPANIC)	65
SEER HISTORIC STAGE A (1973-2015)	. 66
AJCC STAGE 3 RD EDITION (1988-2003)	
AJCC STAGE 3 EDITION (1900-2003)	
SEER MODIFIED AJCC STAGE 3 RD ED (1988-2003)	
SEER MODIFIED AJCC STAGE 3 RD ED (1988-2003)	.67
SEER MODIFIED AJCC STAGE 3 RD ED (1988-2003)	
SEER MODIFIED AJCC STAGE 3 RD ED (1988-2003) FIRST MALIGNANT PRIMARY INDICATOR STATE-COUNTY COUNTY ATRRIBUTES	. 68
SEER MODIFIED AJCC STAGE 3 RD ED (1988-2003)	. 68 . 68

COD TO SITE REC KM	
VITAL STATUS RECODE (STUDY CUTOFF USED)	70
IHS LINK	70
SUMMARY STAGE 2000 (1998-2017)	71
AYA SITE RECODE/WHO 2008	71
AYA SITE RECODE 2020 REVISION	
LYMPHOID NEOPLASM RECODE 2021 REVISION	
LYMPHOMA SUBTYPE RECODE/WHO 2008 (THRU 2017)	72
SEER BRAIN AND CNS RECODE	
ICCC SITE RECODE 3RD EDITION/IARC 2017	73
SEER CAUSE-SPECIFIC DEATH CLASSIFICATION	73
SEER OTHER CAUSE OF DEATH CLASSIFICATION	
CS TUMOR SIZE/EXT EVAL (2004-2015)	74
CS REG NODE EVAL (2004-2015)	74
CS METS EVAL (2004-2015)	
PRIMARY BY INTERNATIONAL RULES	
ER STATUS RECODE BREAST CANCER (1990+)	
PR STATUS RECODE BREAST CANCER (1990+)	76
CS SCHEMA—AJCC 6 TH EDITION	76
LYMPH-VASCULAR INVASION (2004+ VARYING BY SCHEMA)	79
SURVIVAL MONTHS	79
SURVIVAL MONTHS FLAG	
DERIVED AJCC T, 7 TH ED (2010-2015)	81
DERIVED AJCC N, 7 TH ED (2010-2015)	
DERIVED AJCC M, 7 TH ED (2010-2015)	
DERIVED AJCC STAGE GROUP, 7 TH ED (2010-2015)	
BREAST—ADJUSTED AJCC 6 TH T (1988-2015)	86
BREAST—ADJUSTED AJCC 6 TH N (1988-2015)	87
BREAST—ADJUSTED AJCC 6 TH M (1988-2015)	88
BREAST—ADJUSTED AJCC 6TH STAGE (1988-2015)	
DERIVED HER2 RECODE (2010+)	
BREAST SUBTYPE (2010+)	
LYMPHOMAS: ANN ARBOR STAGING (1983-2015)	
SEER COMBINED METS AT DX-BONE (2010+)	
SEER COMBINED METS AT DX-BRAIN (2010+)	
SEER COMBINED METS AT DX-LIVER (2010+)	
SEER COMBINED METS AT DX-LUNG (2010+)	
T VALUE - BASED ON AJCC 3rd (1988-2003)	94
N VALUE - BASED ON AJCC 3rd (1988-2003)	
M VALUE - BASED ON AJCC 3rd (1988-2003)	94
TOTAL NUMBER OF IN SITU/MALIGNANT TUMORS FOR PATIENT	
TOTAL NUMBER OF BENIGN/BORDERLINE TUMORS FOR PATIENT	
RADIATION TO BRAIN OR CNS RECODE (1988-1997)	
TUMOR SIZE SUMMARY (2016+)	
DERIVED SEER CMB STG GRP (2016-2017)	
DERIVED SEER COMBINED T (2016-2017)	96
DERIVED SEER COMBINED N (2016-2017)	97
DERIVED SEER COMBINED M (2016-2017)	97
DERIVED SEER COMBINED T SRC (2016-2017)	
DERIVED SEER COMBINED N SRC (2016-2017)	
DERIVED SEER COMBINED M SRC (2016-2017)	
TNM FDITION NUMBER (2016-2017)	99

METS AT DX—DISTANT LN (2016+)	99
METS AT DX—OTHER (2016+)	100
AJCC ID (2018+)	100
EOD SCHEMA ID RECODE (2010+)	101
DERIVED EOD 2018 T (2018+)	
DERIVED EOD 2018 N (2018+)	101
DERIVED EOD 2018 M (2018+)	
DERIVED EOD 2018 STAGE GROUP (2018+)	
EOD PRIMARY TUMOR (2018+)	
EOD REGIONAL NODES (2018+)	
EOD METS (2018+)	
MONTHS FROM DIAGNOSIS TO TREATMENT	103
CENSUS TRACT 1970/1980/1990	
CENSUS TRACT 2000	
CENSUS TRACT 2010	
CODING SYSTEM FOR CENSUS TRACT 1970/80/90	
CENSUS TRACT CERTAINTY 1970/80/90	
CENSUS TRACT CERTAINTY 2000	
CENSUS TRACT CERTAINTY 2010.	
RURAL URBAN CONTINUUM 1993	
RURAL URBAN CONTINUUM 2003	
RURAL URBAN CONTINUUM 2013.	
HEALTH SERVICE AREA	
HEALTH SERVICE AREA NCI MODIFIED.	
COUNTY AT DX GEOCODE 1990	
COUNTY AT DX GEOCODE 2000	
COUNTY AT DX GEOCODE 2010	
DERIVED SS1977FLAG	
DERIVED SS2000FLAG	
RX SUMM—RADIATION	
RADIATION TO BRAIN OR CNS (1988-1997)	
SEER DATE OF DEATH	
SEER DATE OF FOLLOW-UP RECODE	
YEAR OF BIRTH	
DATE OF DIAGNOSIS FLAG	114
DATE OF THERAPY STARTED FLAG	
DATE OF BIRTH FLAG	
DATE OF LAST FOLLOW-UP FLAG	
DATE THERAPY STARTED	
RX SUMMOTHER	115
DERIVED AJCC—FLAG	
DERIVED SS1977	116
DERIVED SS2000	117
SEER SUMMARY STAGE 1977	117
SEER SUMMARY STAGE 2000	
PRIMARY PAYER AT DX	
RECODE ICD-O-2 TO 9	
RECODE ICD-O-2 TO 10	
NHIA DERIVED HISPANIC ORIGIN	
OVER-RIDE AGE/SITE/MORPH	
OVER-RIDE SEQNO/DXCONF	
· ·	121

OVER-RIDE SURG/DXCONF	
OVER-RIDE SITE/TYPE	
OVER-RIDE HISTOLOGY	
OVER-RIDE REPORT SOURCE	
OVER-RIDE ILL-DEFINE SITE	122
OVER-RIDE LEUK, LYMPHOMA	123
OVER-RIDE SITE/BEHAVIOR	123
OVER-RIDE SITE/EOD/DX DT	123
OVER-RIDE SITE/LAT/EOD	124
OVER-RIDE SITE/LAT/MORPH	124
SUMMARY STAGE 2000.	124
INSURANCE RECODE 2007+	125
YOST (ACS 2006-2010)	125
YOST (ACS 2010-2014)	126
YOST (ACS 2013-2017)	126
YOST (ACS 2006-2010) – STATE BASED	126
YOST (ACS 2010-2014) – STATE BASED	126
YOST (ACS 2013-2017) – STATE BASED	
YOST (ACS 2006-2010) QUINTILE	127
YOST (ACS 2010-2014) QUINTILE	127
YOST (ACS 2013-2017) QUINTILE	
YOST (ACS 2006-2010) – STATE BASED QUINTILE	128
YOST (ACS 2010-2014) – STATE BASED QUINTILE	128
YOST (ACS 2013-2017) – STATE BASED QUINTILE	129
BRAIN MOLECULAR MARKERS 2018	129
SITE-SPECIFIC DATA ITEMS (SSDI)	130
ENHANCED 5% FLAG.	
DATE OF DEATH FLAG CREATED	
DATE OF BIRTH FLAG CREATED	
ONCOTYPE DX BREAST RECURRENCE SCORE	131
ONCOTYPE DX RS GROUP (RS < 18, RS 18-30, RS > 30)	
ONCOTYPE DX REASON NO SCORE LINKED	
ONCOTYPE DX DELIVERED DATE	132
ONCOTYPE DX MONTHS SINCE DIAGNOSIS	
2015 ADI STATE (DECILE) AND NATIONAL (PERCENTILE) RANKINGS	
2020 ADI STATE (DECILE) AND NATIONAL (PERCENTILE) RANKINGS	135

PATIENT ID

NAACCR Item #: 20

SAS Variable Name: Patient_ID Research Plus Limited-Field: Yes

Field Description: This field is used to uniquely identify a person. One person can have

multiple primaries but the same Patient ID. See the sequence number for more information about the primary. This is a dummy number and is not the number used by the registry to identify the patient. The same number is not

used across all submissions for each patient.

SEER REGISTRY

NAACCR Item #: 40

SAS Variable Name: SEER_registry Research Plus Limited-Field: Yes

Field Description: A unique code assigned to each participating SEER registry. The number

identifies the registry sending the record and what population the data are

based on. Only the last two digits are in the file.

Code	Code Description	
0000001501	San Francisco-Oakland SMSA (1975+)	
0000001502	Connecticut (1975+)	
0000001520	Metropolitan Detroit (1975+)	
0000001521	Hawaii (1975+)	
0000001522	Iowa (1975+)	
0000001523	New Mexico (1975+)	
0000001525	Seattle (Puget Sound) (1975+)	
0000001526	Utah (1975+)	
0000001527	Metropolitan Atlanta (1975+)	
0000001531	San Jose-Monterey (1992+)	
0000001535	Los Angeles (1992+)	
0000001537	Rural Georgia (1992+)	
0000001541	Greater California (excl. SF, Los Ang. & SJ) (2000+)	
0000001542	Kentucky (2000+)	
0000001543	Louisiana (2000+)	
0000001544	New Jersey (2000+)	
0000001547	Greater Georgia (excluding AT and RG)	
0000001561	Idaho* (2000+)	
0000001562	New York* (2000+)	
0000001563	Massachusetts* (2000+)	
0000001566	Texas* (2000+)	

(Year in parentheses refers to first diagnosis year of data available)

*Note: Registry data only available in limited-field databases.

SEER REGISTRY (WITH CA AND GA AS WHOLE STATES)

NAACCR Item #: N/A

SAS Variable Name: SEERregistrywithCAandGAaswholes

Research Plus Limited-Field: Yes

Field Description: SEER registries from California and Georgia are combined into state-level

groupings representing those two entire states. This is the only geographic

indicator available for analysis at the individual level.

Code	Description
06	California
09	Connecticut
13	Georgia
15	Hawaii
16	Idaho
19	Iowa
21	Kentucky
22	Louisiana
25	Massachusetts
26	Detroit (Metropolitan)
34	New Jersey
35	New Mexico
36	New York
48	Texas
49	Utah
53	Seattle (Puget Sound)

LOUISIANA 2005 – 1ST VS 2ND HALF OF THE YEAR

NAACCR Item #: N/A

SAS Variable Name: Louisiana20051stvs2ndhalfofyear

Research Plus Limited-Field: Yes

Field Description: This variable can be used to distinguish cases diagnosed in Louisiana

between July and December of 2005, when reporting may have been affected

by hurricanes Katrina and Rita.

Code	Description
0	Not applicable (not 2005 Louisiana)
1	Louisiana: January-June (includes unknown) 2005
2	Louisiana: July-December 2005

MARITAL STATUS AT DIAGNOSIS

NAACCR Item #: 150

SAS Variable Name: Marital_status_at_diagnosis

Research Plus Limited-Field: No

Field Description: This data item identifies the patient's marital status at the time of diagnosis

for the reportable tumor.

Code	Description
1	Single (never married)
2	Married (including common law)
3	Separated
4	Divorced
5	Widowed
6	Unmarried or domestic partner (same sex or opposite sex or unregistered)
9	Unknown
14	Blank

RACE/ETHNICITY

NAACCR Item #: N/A

SAS Variable Name: Race_ethnicity Research Plus Limited-Field: Yes

Field Description: Recode which gives priority to non-white races for persons of mixed races.

Note that not all codes were in effect for all years.

Code	Description	
01	White	
02	Black	
03	American Indian, Aleutian, Alaskan Native or Eskimo	
	(includes all indigenous populations of the Western	
	hemisphere)	
04	Chinese	
05	Japanese	
06	Filipino	
07	Hawaiian	
08	Korean (Effective with 1/1/1988 dx)	
10	Vietnamese (Effective with 1/1/1988 dx)	
11	Laotian (Effective with 1/1/1988 dx)	
12	Hmong (Effective with 1/1/1988 dx)	
13	Kampuchean (including Khmer and Cambodian) (Effective	
	with $1/1/1988 dx$)	
14	Thai (Effective with 1/1/1994 dx)	
15	Asian Indian or Pakistani, NOS (Effective with 1/1/1988 dx)	
16	Asian Indian (Effective with 1/1/2010 dx)	
17	Pakistani (Effective with 1/1/2010 dx)	
20	Micronesian, NOS (Effective with 1/1/1991)	
21	Chamorran (Effective with 1/1/1991 dx)	
22	Guamanian, NOS (Effective with 1/1/1991 dx)	
25	Polynesian, NOS (Effective with 1/1/1991 dx)	
26	Tahitian (Effective with 1/1/1991 dx)	
27	Samoan (Effective with 1/1/1991 dx)	
28	Tongan (Effective with 1/1/1991 dx)	
30	Melanesian, NOS (Effective with 1/1/1991 dx)	
31	Fiji Islander (Effective with 1/1/1991 dx)	
32	New Guinean (Effective with 1/1/1991 dx)	
96	Other Asian, including Asian, NOS and Oriental, NOS	
	(Effective with 1/1/1991 dx)	
97	Pacific Islander, NOS (Effective with 1/1/1991 dx)	
98	Other	
99	Unknown	

SEER Participants San Francisco, San Jose-Monterey, and Los Angeles are permitted to use codes 14 and 20-97 for cases diagnosed after January 1, 1987. Greater California is permitted to use codes 14 and 20-97 for cases diagnosed after January 1, 1988. Other SEER participants may choose to recode cases diagnosed prior to 1991 using 14 and 20-97 if all cases in the following race codes are reviewed: 96 Other Asian; 97 Pacific Islander, NOS; 98 Other; and 99 unknown.

SEX

NAACCR Item #: 220 SAS Variable Name: Sex

Research Plus Limited-Field: Yes

Field Description: This data item identifies the sex of the patient at diagnosis.

Code	Description
1	Male
2	Female
9	Not stated (unknown)

AGE RECODE WITH SINGLE AGES AND 100+

NAACCR Item #: N/A

SAS Variable Name: Agerecodewithsingleages and 100

Research Plus Limited-Field: Yes

Field Description: This data item represents the age of the patient at diagnosis for this cancer.

The code is three digits and represents the patient's actual age in years up to

age 99. Age 100 and over are grouped as 100+.

Code	Description
000-099	Actual age in years
100	100+ years
127	Unknown age

AGE RECODE WITH SINGLE AGES AND 85+

NAACCR Item #: N/A

SAS Variable Name: Agerecodewithsingle ages and 85

Research Plus Limited-Field: Yes

Field Description: This data item represents the age of the patient at diagnosis for this cancer.

The code is three digits and represents the patient's actual age in years up to

age 84. Age 85 and over are grouped as 85+.

Code	Description
000-084	Actual age in years
85	85+ years
127	Unknown age

SEQUENCE NUMBER

NAACCR Item #: 380

SAS Variable Name: Sequence number Research Plus Limited-Field: Yes

Field Description: Sequence Number-Central describes the number and sequence of all reportable malignant, in situ, benign, and borderline primary tumors, which occur over the lifetime of a patient. The sequence number may change over the lifetime of the patient. If an individual previously diagnosed with a single reportable malignant neoplasm is subsequently diagnosed with a second reportable malignant neoplasm, the sequence code for the first neoplasm changes from 00 to 01.

> This sequence number counts all tumors that were reportable in the year they were diagnosed even if the tumors occurred before the registry existed, or before the registry participated in the SEER Program. The purpose of sequencing based on the patient's lifetime is to truly identify the patients for survival analysis who only had one malignant primary in their lifetimes.

In Situ/Malignant as Federally Required based on Diagnosis Year

Code	Description
00	One primary only in the patient's lifetime
01	First of two or more primaries
02	Second of two or more primaries
	(Actual number of this primary)
59	Fifty-ninth of fifty-nine or more primaries
99	Unspecified or unknown sequence number of Federally required in situ or malignant
	tumors. Sequence number 99 can be used if there is a malignant tumor and its
	sequence number is unknown. (If there is known to be more than one malignant
	tumor, then the tumors must be sequenced.)

Non-malignant Tumor as Federally Required based on Diagnosis Year

Code	Description
60	Only one non-malignant tumor or central registry-defined neoplasm
61	First of two or more non-malignant tumors or central registry-defined neoplasms
62	Second of two or more non-malignant tumors or central registry-defined neoplasms
87	Twenty-seventh of twenty-seven
88	Unspecified or unknown sequence number of non-malignant tumor or central-registry defined neoplasms. (Sequence number 88 can be used if there is a non-malignant tumor and its sequence number is unknown. If there is known to be more than one non-malignant tumor, then the tumors must be sequenced.)

MONTH OF DIAGNOSIS

NAACCR Item #: 390

SAS Variable Name: Month_of_diagnosis

Research Plus Limited-Field: Yes

Field Description: The month of diagnosis is the month the tumor was first diagnosed by a

recognized medical practitioner, whether clinically or microscopically

confirmed.

Allowable values MM = 01 – 12 14=Blank

YEAR OF DIAGNOSIS

NAACCR Item #: 390

SAS Variable Name: Year_of_diagnosis Research Plus Limited-Field: Yes

Field Description: The year of diagnosis is the year the tumor was first diagnosed by a

recognized medical practitioner, whether clinically or microscopically

confirmed.

Allowable values

YYYY = 1975 - forward

COC ACCREDITED FLAG (2018+)

NAACCR Item #: 2152

SAS Variable Name: CoC Accredited Flag 2018

Research Plus Limited-Field: Yes

Field Description: CoC Accredited Flag is assigned at the point and time of data abstraction to

label an abstract being prepared for an analytic cancer case at a facility accredited by the Commission on Cancer (CoC). The flag may be assigned

manually or can be defaulted by the registry's software.

MONTH OF DIAGNOSIS RECODE

NAACCR Item #: N/A

SAS Variable Name: Month_of_diagnosis_recode

Research Plus Limited-Field: Yes

Field Description: This field uses other known data points to input unknown month of

diagnosis.

Code	Description
1	January
2	February
3	March
4	April
5	May
6	June
7	July
8	August
9	September
10	October
11	November
12	December

PRIMARY SITE

NAACCR Item #: 400

SAS Variable Name: Primary_Site Research Plus Limited-Field: Yes

Field Description: This data item identifies the site in which the primary tumor originated. See

the *International Classification of Diseases for Oncology*, Third Edition (ICD-O-3) for topography codes. The decimal point is eliminated.

Cases diagnosed 1977-1991 were coded using the International

Classification of Diseases for Oncology, 1976 Edition (ICD-O-1976). Prior

to 1977 diagnoses, cases were coded using the Manual of Tumor

Nomenclature and Coding, 1968 (MOTNAC).

All cases 1975-1991 were machine-converted to ICD-O-2 codes without

complete hand review.

LATERALITY

NAACCR Item #: 410

SAS Variable Name: Laterality Research Plus Limited-Field: Yes

Field Description: Laterality describes the side of a paired organ or side of the body on which the reportable tumor originated. Starting with cases diagnosed January 1, 2004 and later, laterality is coded for select invasive, benign, and borderline primary intracranial and CNS tumors.

> See http://seer.cancer.gov/manuals/primsite.laterality.pdf for a list of sites for which SEER requires information on laterality.

Code	Description
0	Not a paired site
1	Right: origin of primary
2	Left: origin of primary
3	Only one side involved, right or left origin unspecified
4	Bilateral involvement, lateral origin unknown; stated to be single primary
	Both ovaries involved simultaneously, single histology
	Bilateral retinoblastomas
	Bilateral Wilms's tumors
5	Paired site: midline tumor
9	Paired site, but no information concerning laterality; midline tumor

HISTOLOGY ICD-0-2

NAACCR Item #: 420

SAS Variable Name: Histology_ICD_O_2

Research Plus Limited-Field: No

Field Description: NOTE: ALL CASES DIAGNOSED 1975-91 HAVE BEEN CONVERTED

TO THE INTERNATIONAL CLASSIFICATION OF DISEASES FOR

ONCOLOGY, SECOND EDITION (ICD-O-2, 1992).

The SEER program has used several different, but related, coding systems for morphology over time. One should be extremely careful when doing any analysis of trends related to morphology. It is suggested that these analyses start with diagnoses no earlier than 1977 and that special attention be paid to the changes for 1986-91 cases due to the use of the *International Classification of Disease for Oncology, Field Trial Edition, March 1988* and for 1992+ cases due to the use of ICD-O-2.

Analyses of morphology data are usually limited to microscopically confirmed cases only.

HISTOLOGY CODING

FOR CASES DIAGNOSED 1975-85:

Histologic types are defined in the morphology section of the *International Classification of Diseases for Oncology*, 1976 Edition (ICD-O, 1976). However prior to the introduction of ICD-O, 1976, morphology was coded using the *Manual of Tumor Nomenclature and Coding*, 1968 (MOTNAC). With the introduction of ICD-O, 1976, all cases previously coded using MOTNAC were machine converted without hand review using the conversion table, *Conversion of Morphology Sections (neoplasms) of 1968 Manual of Tumor Nomenclature and Coding (MOTNAC) and 1965 Systematized Nomenclature of Pathology (SNOP) to 1976 International Classification of Diseases for Oncology*, developed by Constance Percy. The morphology codes of ICD-O, 1976, are more specific than those of MOTNAC. Thus, less detailed information on morphology is available for cases diagnosed 1975-76. For example, when using MOTNAC large cell carcinoma is included with carcinoma, not otherwise specified (NOS); when using ICD-O, 1976, large cell carcinoma is a separate entity having its own code. All have been machine converted to ICD-O-2.

(Continued on next page)

(Continued from HISTOLOGY ICD-O-2)

FOR CASES DIAGNOSED 1975-85:

In addition, the following special morphology codes were used by the SEER Program:

Breast — All years

Code	Description
8522/3	Infiltrating duct carcinoma and lobular carcinoma
8523/3	Infiltrating duct carcinoma and lobular carcinoma in situ
8524/3	Intraductal carcinoma and lobular carcinoma
8522/2	Intraductal carcinoma and lobular carcinoma in situ
8543/3	Paget's disease with intraductal carcinoma

All sites — Introduced for coding in approximately 1982

Code	Description
9616/3	Lennert's lymphoma
9624/3	Malignant lymphoma, large cell, cleaved, diffuse
9634/3	Malignant lymphoma, large cell, non-cleaved, diffuse
9723/3	True histiocytic lymphoma

FOR CASES DIAGNOSED 1986-91:

Histologic types are defined in the morphology section of the *International Classification of Diseases for Oncology, Field Trial Edition, 1986* (ICD-O FT). (This volume is no longer available. It was replaced by the *International Classification of Diseases for Oncology, Field Trial Edition, March 1988* (ICD-O FT 1988). Pages i-vi, 23 of the latter volume list the differences between the two Field Trials, present a summary of the changes to ICD-O, 1976, and define the symbols used in the morphology section. These were converted to ICD-O-2.

FOR CASES DIAGNOSED 1992-2000:

Histologic types are defined in the morphology section of ICD-O-2. See pages 137+ in ICD-O-2 for additions and changes.

FOR CASES DIAGNOSED AFTER 2000:

All cases diagnosed after 2000 were converted from ICD-O-3 to ICD-O-2.

BEHAVIOR CODE ICD-0-2

NAACCR Item #: 430

SAS Variable Name: Behavior_code_ICD_O_2

Research Plus Limited-Field: No

Field Description: Behavior codes are also defined in ICD-O-2, 1992.

Note: For bladder only, all in situs (/2) are converted to invasives (/3) before

inclusion on this file.

Cervix in situ not required.

FOR CASES DIAGNOSED AFTER 2000:

All cases diagnosed after 2000 were converted from ICD-O-3 to ICD-O2.

HISTOLOGIC TYPE ICD-0-3

NAACCR Item #: 522

SAS Variable Name: Histologic_Type_ICD_O_3

Research Plus Limited-Field: Yes

Field Description: The data item Histologic Type describes the microscopic composition of

cells and/or tissue for a specific primary. The tumor type or histology is a basis for staging and determination of treatment options. It affects the prognosis and course of the disease. The *International Classification of Diseases for Oncology*, Third Edition (ICD-O-3) is the standard reference for

coding the histology for tumors diagnosed in 2001 and later.

All ICD-O-2 histologies for 1975-2000 were converted to ICD-O-3.

BEHAVIOR CODE ICD-O-3

NAACCR Item #: 523

SAS Variable Name: Behavior_code_ICD_O_3

Research Plus Limited-Field: Yes

Field Description: SEER requires registries to collect malignancies with in situ /2 and malignant

/3 behavior codes as described in ICD-O-3. SEER requires registries to collect benign /0 and borderline /1 intracranial and CNS tumors for cases diagnosed on or after 1/1/2004. Behavior is the fifth digit of the morphology code after the slash (/). See ICD-O-3 (page 66) for a discussion of the

behavior code.

Code	Description
0	Benign (Reportable for intracranial and CNS sites only)
1	Uncertain whether benign or malignant, borderline malignancy, low malignant potential, and uncertain malignant potential (Reportable for intracranial and CNS sites only)
2	Carcinoma in situ; intraepithelial; noninfiltrating; noninvasive
3	Malignant, primary site (invasive)

All ICD-O-2 behaviors for 1975-2000 were converted to ICD-O-3.

GRADE (THRU 2017)

NAACCR Item #: 440

SAS Variable Name: Grade_thru_2017 Research Plus Limited-Field: Yes

Field Description: Grading and differentiation codes of 1-4, 9 are defined in ICD-O-2; 1992. Grade

information may be incomplete for cases diagnosed before 1977.

In the early 1980's, additional codes specifying T-cell, B-cell, or null cell involvement in lymphomas and leukemias (histologies M9590-9940) were introduced by SEER. Because the reporting requirements and medical terminology have changed over time, care should be exercised when analyzing this information.

Code	Description
1	Grade I; grade i; grade 1; well differentiated; differentiated, NOS
2	Grade II; grade ii; grade 2; moderately differentiated; moderately
	differentiated; intermediate differentiation
3	Grade III; grade iii; grade 3; poorly differentiated; differentiated
4	Grade IV; grade iv; grade 4; undifferentiated; anaplastic
5	T-cell; T-precursor
6	B-cell; Pre-B; B-Precursor
7	Null cell; Non T-non B;
8	N K cell (natural killer cell)
9	cell type not determined, not stated or not applicable

SCHEMA ID (2018+)

NAACCR Item #: 3800

SAS Variable Name: Schema_ID_2018 Research Plus Limited-Field: Yes

Field Description: This variable allows the linkage of 2018+ Site-Specific Data Items (SSDIs),

including grade data items, with the appropriate site/histology grouping.

GRADE CLINICAL (2018+)

NAACCR Item #: 3843

SAS Variable Name: Grade Clinical 2018

Research Plus Limited-Field: Yes

Field Description: Refer to the most recent Grade Manual for additional site-specific instructions.

https://apps.naaccr.org/ssdi/list/

GRADE PATHOLOGICAL (2018+)

NAACCR Item #: 3844

SAS Variable Name: Grade Pathological 2018

Research Plus Limited-Field: Yes

Field Description: Refer to the most recent Grade Manual for additional site-specific instructions.

https://apps.naaccr.org/ssdi/list/

DIAGNOSTIC CONFIRMATION

NAACCR Item #: 490

SAS Variable Name: Diagnostic_Confirmation

Research Plus Limited-Field: Yes

Field Description: This data item records the best method used to confirm the presence of the

cancer being reported. The data item is not limited to the confirmation at the time of diagnosis; it is the best method of confirmation during the entire

course of the disease.

Microscopically Confirmed

Code	Description
1	Positive histology
2	Positive cytology
3	Positive histology PLUS - positive immunophenotyping
	AND/OR positive genetic studies (Used only for hematopoietic
	and lymphoid neoplasms M-9590/3-9992/3)
4	Positive microscopic confirmation, method not specified

(Continued on next page)

(Continued from DIAGNOSTIC CONFIRMATION)

Not Microscopically Confirmed

Code	Description
5	Positive laboratory test/marker study
6	Direct visualization without microscopic confirmation
7	Radiology and other imaging techniques without microscopic
	confirmation
8	Clinical diagnosis only (other than 5, 6, or 7)

Confirmation Unknown

Code	Description
9	Unknown whether microscopically confirmed; death
	certificate only

TYPE OF REPORTING SOURCE

NAACCR Item #: 500

SAS Variable Name: Type_of_Reporting_Source

Research Plus Limited-Field: Yes

Field Description: The Type of Reporting Source identifies the source documents used to

abstract the case. This is not necessarily the original document that identified

the case; rather, it is the source that provided the best information.

Code	Description
1	Hospital inpatient; Managed health plans with comprehensive, unified medical records
	(new code definition effective with diagnosis on or after 1/1/2006)
2	Radiation Treatment Centers or Medical Oncology Centers (hospital-affiliated or
	independent) (effective with diagnosis on or after 1/1/2006)
3	Laboratory Only (hospital-affiliated or independent)
4	Physician's Office/Private Medical Practitioner (LMD)
5	Nursing/Convalescent Home/Hospice
6	Autopsy Only
7	Death Certificate Only
8	Other hospital outpatient units/surgery centers (effective with diagnosis on or after
	1/1/2006)

EOD 10— SIZE (1988-2003)

NAACCR Item #: 780

SAS Variable Name: EOD_10_size_1988_2003

Research Plus Limited-Field: No

Field Description: This item is part of the 10-digit EOD (Item #779). It records the largest

dimension of the primary tumor in millimeters. Unknown size=999.

This field is only coded for cases diagnosed 1988-2003. See SEER Extent of

Disease, 1988: Codes and Coding Instructions, Third Edition for site-

specific codes and coding rules, at

http://seer.cancer.gov/manuals/EOD10Dig.pub.pdf.

Note: For 2004-2015, similar type of information was collected in CS

Tumor Size (2004-2015) in the collaborative stage variables.

EOD 10—EXTENT (1988-2003)

NAACCR Item #: 790

SAS Variable Name: EOD 10 extent 1988 2003

Research Plus Limited-Field: No

Field Description: This item codes the farthest documented extension of tumor away from the

primary site, either by contiguous extension or distant metastases.

Allowable values = 00-99.

This field is only coded for cases diagnosed 1988-2003. See SEER Extent of

Disease, 1988: Codes and Coding Instructions, Third Edition for site-

specific codes and coding rules, at

http://seer.cancer.gov/manuals/EOD10Dig.pub.pdf.

Note: For 2004-2015, similar type of information was collected in CS extension (2004-2015) and CS Mets at DX (2004-2015) in the collaborative

stage variables.

EOD 10—PROSTATE PATH EXT (1995-2003)

NAACCR Item #: 800

SAS Variable Name: EOD10Prostatepath ext 1995 2003

Research Plus Limited-Field: No

Field Description: This is an additional field for prostate cancer only to reflect information from

radical prostatectomy, effective with 1995 diagnoses. The field is left blank

for all other primaries. Allowable values = 00-99.

(Continued on next page)

(Continued from EOD 10—PROSTATE PATH EXT (1995-2003))

This field is only coded for prostate cases diagnosed 1995-2003. See *SEER Extent of Disease*, 1988: Codes and Coding Instructions, Third Edition for site-specific codes and coding rules, at

http://seer.cancer.gov/manuals/EOD10Dig.pub.pdf.

Note: For 2004+, similar type of information was collected in CS SSF 3 in the collaborative stage variables.

EOD 10—NODES (1995-2003)

NAACCR Item #: 810

SAS Variable Name: EOD 10 nodes 1988 2003

Research Plus Limited-Field: No

Field Description: This item records the highest specific lymph node chain that is involved by

the tumor. Allowable values = 0-9.

This field is only coded for cases diagnosed 1988-2003. See SEER Extent of

Disease, 1988: Codes and Coding Instructions, Third Edition for site-

specific codes and coding rules, at

http://seer.cancer.gov/manuals/EOD10Dig.pub.pdf.

Note: For 2004-2015, similar type of information was collected in CS Lymph Nodes (2004-2015) in the collaborative stage variables.

REGIONAL NODES POSITIVE (1988+)

NAACCR Item #: 820

SAS Variable Name: Regional nodes positive 1988

Research Plus Limited-Field: No

Field Description: Records the exact number of regional lymph nodes examined by the

pathologist that were found to contain metastases.

Code	Description
00	All nodes examined are negative
01-89	Exact number of nodes positive
90	90 or more nodes are positive
95	Positive aspiration of lymph node(s) was performed
97	Positive nodes are documented, but number is unspecified
98	No nodes were examined
99	Unknown whether nodes are positive; not applicable; not
	stated in patient record
126	Blank

REGIONAL NODES EXAMINED (1988+)

NAACCR Item #: 830

SAS Variable Name: Regional_nodes_examined_1988

Research Plus Limited-Field: No

Field Description: Records the total number of regional lymph nodes that were removed and

examined by the pathologist.

Code	Description
00	No nodes were examined
01-89	Exact number of nodes examined
90	90 or more nodes were examined
95	No regional nodes were removed, but aspiration of regional nodes was performed
96	Regional lymph node removal was documented as a sampling, and the number of nodes is unknown/not stated
97	Regional lymph node removal was documented as a dissection, and the number of nodes is unknown/not stated
98	Regional lymph nodes were surgically removed, but the number of lymph nodes is unknown/not stated and not documented as a sampling or dissection; nodes were examined, but the number is unknown
99	Unknown whether nodes were examined; not applicable or negative; not stated in patient record
126	Blank

EXPANDED EOD (1) – EXPANDED EOD (13)

NAACCR Item #: 840

SAS Variable Name: Expanded_EOD_1_CP53_1973_1982 --

Expanded EOD 13 CP65 1973 1982

Research Plus Limited-Field: No

Field Description: Detailed site-specific codes for EOD used by SEER for selected sites of

cancer for tumors diagnosed 1975-1982, except death-certificate-only cases.

For details, reference the following website:

http://seer.cancer.gov/manuals/historic/EOD 1977.pdf

EOD 4 – SIZE (1983-1987) EOD 4 – EXTENT (1983-1987) EOD 4 – NODES (1983-1987)

NAACCR Item #: 860

SAS Variable Name: EOD_4_size_1983_1987

EOD_4_extent_1983_1987 EOD_4_nodes_1983_1987

Research Plus Limited-Field: No

Field Description Codes for site-specific EOD used by SEER for tumors diagnosed from

January 1, 1983 to December 31, 1987 for all cancer sites. For details,

reference the following website:

http://seer.cancer.gov/manuals/historic/EOD 1984.pdf

First and second digit- EOD 4 – SIZE (1983-1987) Third digit- EOD 4 – EXTENT (1983-1987)

Fourth digit- EOD 4 – NODES (1983-1987)

CODING SYSTEM – EOD (1973-2003)

NAACCR Item#: 870

SAS Variable Name: Coding_system_EOD_1973_2003

Research Plus Limited-Field: No

Field Description: Indicates the type of SEER EOD code applied to the tumor.

Code	Description
0	2-Digit Nonspecific Extent of Disease (1973-82)
1	2-Digit Site-Specific Extent of Disease (1973-82)
2	13-Digit (expanded) Site Specific Extent of Disease (1973-82)
3	4-Digit Extent of Disease (1983-87)
4	10-Digit Extent of Disease, 1988 (1988-2003)
6	Blank

TUMOR MARKER 1 (1990-2003)

NAACCR Item #: 1150

SAS Variable Name: Tumor_marker_1_1990_2003

Research Plus Limited-Field: No

Field Description: This data item records prognostic indicators for breast cases (ERA 1990-

2003), prostate cases (PAP 1998-2003) and testis cases (AFP 1998-2003).

Code	Description
0	None Done
1	Positive
2	Negative
3	Borderline; undetermined whether
	positive or negative
8	Ordered, but results not in chart
9	Unknown or no information
14	Blank

(Continued on next page)

(Continued from TUMOR MARKER 1 (1990-2003))

For Testicular Cancer Cases (AFP 1998-2003)

Code	Description
0	None Done (SX)
2	Within normal limits (S0)
4	Range 1 (S1) <1,000 ng/ml
5	Range 2 (S2) 1,000 – 10,000 ng/ml
6	Range 3 (S3) >10,000 ng/ml
8	Ordered, but results not in chart
9	Unknown or no information
14	Blank

For All Other Cases

Code	Description
9	Not applicable

All sites except Breast diagnosed 1990-1997 are coded 9.

All diagnoses before January 1, 1990 are coded 9.

All diagnoses after 2003 are blank.

For Breast and Testis cases diagnosed 2004+, this information is collected using CS Site-Specific Factor 1 (NAACCR Item #2880). For Prostate cases diagnosed 2004+, information is no longer collected.

For breast cancer cases, ERA over time is available in ER Status Recode Breast Cancer (1990+).

TUMOR MARKER 2 (1990-2003)

NAACCR Item #: 1160

SAS Variable Name: Tumor_marker_2_1990_2003

Research Plus Limited-Field: No

Field Description: This data item records prognostic indicators for breast cases (PRA 1990-

2003) and testis cases (hCG 1998-2003).

For Breast Cancer Cases (PRA 1990-2003)

Code	Description
0	None Done
1	Positive
2	Negative
3	Borderline; undetermined whether
	positive or negative
8	Ordered, but results not in chart
9	Unknown or no information
14	Blank

For Testicular Cancer Cases (hCG 1998-2003)

Code	Description
0	None Done (SX)
2	Within normal limits (S0)
4	Range 1 (S1) <5,000 mlU/ml
5	Range 2 (S2) 5,000 – 50,000 mlU/ml
6	Range 3 (S3) to >50,000 mlU/ml
8	Ordered, but results not in chart
9	Unknown or no information
14	Blank

For All Other Cases

Code	Description
9	Not applicable

All sites except Breast diagnosed 1990-1997 are coded 9.

All diagnoses before January 1, 1990 are coded 9.

All diagnoses after 2003 are blank.

For Breast and Testis cases diagnosed 2004+, this information is collected using CS Site-Specific Factor 2 (NAACCR Item #2890).

For breast cancer cases, PRA over time is available in PR Status Recode Breast Cancer (1990+).

TUMOR MARKER 3 (1998-2003)

NAACCR Item #: 1170

SAS Variable Name: Tumor_marker_3_1998_2003

Research Plus Limited-Field: No

Field Description: This data item records prognostic indicators for testis cases (LDH 1998-

2003)

Code	Description
0	None Done (SX)
2	Within normal limits (S0)
4	Range 1 (S1) $<$ 1.5 x upper limit of normal
	for LDH assay
5	Range 2 (S2) $1.5 - 10$ x upper limit of
	normal for LDH assay
6	Range 3 (S3) >10 x upper limit of normal
	for LDH assay
8	Ordered, results not in chart
9	Unknown or no information
14	Blank

All sites except testis diagnosed 1998-2003 are coded 9.

All diagnoses before 1998 are coded 9.

All diagnoses after 2003 are blank.

For Testis cases diagnosed 2004+, this information is collected using CS Site-Specific Factor 3 (NAACCR Item # 2900).

CS TUMOR SIZE (2004-2015)

NAACCR Item #: 2800

SAS Variable Name: CS_tumor_size_2004_2015

Research Plus Limited-Field: No

Field Description: Information on tumor size. Available for 2004-2015 diagnosis years.

Earlier cases may be converted and new codes added which weren't available

for use prior to the current version of CS. For more information, see

http://seer.cancer.gov/seerstat/variables/seer/ajcc-stage.

Code	Description
000	Indicates no mass or no tumor found; for example, when a
	tumor of a stated primary site is not found, but the tumor has
	metastasized.
001-988	Exact size in millimeters
989	989 millimeters or larger
990	Microscopic focus or foci only; no size of focus is given
991	Described as less than 1 cm
992	Described as less than 2 cm
993	Described as less than 3 cm
994	Described as less than 4 cm
995	Described as less than 5 cm
996-998	Site-specific codes where needed
999	Unknown; size not stated; not stated in patient record
888	Not applicable
1022	Blank

Examples:

Mammogram shows 2.5 cm breast malignancy Code as 025 (2.5 cm = 25 millimeters)

CT of chest shows 4 cm mass in RUL Code as 040 (4 cm = 40 mm)

Thyroidectomy specimen yields 8 mm carcinoma Code as 008

Prostate needle biopsy shows 0.6 mm carcinoma Code as 001 (round up six-tenths of mm)

CS EXTENSION (2004-2015)

NAACCR Item #: 2810

SAS Variable Name: CS_extension_2004_2015

Research Plus Limited-Field: No

Field Description: Information on extension of the tumor. Available for 2004-2015 diagnosis

years. Earlier cases may be converted and new codes added which weren't available for use prior to the current version of CS. For more information,

see http://seer.cancer.gov/seerstat/variables/seer/ajcc-stage.

Note: This item was originally a 2-digit field and was expanded to 3 digits during conversion. Generally, a zero was added to the right of the existing 2-

digit field, except for 99 which became 999.

CS LYMPH NODES (2004-2015)

NAACCR Item #: 2830

SAS Variable Name: CS lymph nodes 2004 2015

Research Plus Limited-Field: No

Field Description: Information on involvement of lymph nodes. Available for 2004-2015

diagnosis years. Earlier cases may be converted and new codes added which weren't available for use prior to the current version of CS. For more information, see http://seer.cancer.gov/seerstat/variables/seer/ajcc-stage.

Note: This item was originally a 2-digit field and was expanded to 3 digits during conversion. Generally, a zero was added to the right of the existing 2-

digit field, except for 99 which became 999.

CS METS AT DX (2004-2015)

NAACCR Item #: 2850

SAS Variable Name: CS_mets_at_dx_2004_2015

Research Plus Limited-Field: No

Field Description: Information on distant metastasis. Available for 2004-2015 diagnosis years.

Earlier cases may be converted and new codes added which weren't available

for use prior to the current version of CS. For more information, see

http://seer.cancer.gov/seerstat/variables/seer/ajcc-stage.

CS SITE-SPECIFIC FACTOR 1 (2004-2017 varying by schema)

NAACCR Item #: 2880

SAS Variable Name: CSsitespecificfactor120042017va

Research Plus Limited-Field: No

Field Description: Each CS site-specific factor (SSF) is schema dependent. They can provide

information needed to stage the case, clinically relevant information, or prognostic information. Available for varying years and schemas depending on standard setter requirements. Earlier cases may be converted and new codes added which weren't available for use prior to the current version of

CS.

For more information, see <u>variable documentation</u>.

CS SITE-SPECIFIC FACTOR 2 (2004-2017 varying by schema)

NAACCR Item #: 2890

SAS Variable Name: CSsitespecificfactor220042017va

Research Plus Limited-Field: No

Field Description: Each CS site-specific factor (SSF) is schema dependent. They can provide

information needed to stage the case, clinically relevant information, or prognostic information. Available for varying years and schemas depending on standard setter requirements. Earlier cases may be converted and new codes added which weren't available for use prior to the current version of

CS.

For more information, see variable documentation.

CS SITE-SPECIFIC FACTOR 3 (2004-2017 varying by schema)

NAACCR Item #: 2900

SAS Variable Name: CSsitespecificfactor320042017va

Research Plus Limited-Field: No

Field Description: Each CS site-specific factor (SSF) is schema dependent. They can provide

information needed to stage the case, clinically relevant information, or prognostic information. Available for varying years and schemas depending on standard setter requirements. Earlier cases may be converted and new codes added which weren't available for use prior to the current version of

CS.

For more information, see <u>variable documentation</u>.

.

CS SITE-SPECIFIC FACTOR 4 (2004-2017 varying by schema)

NAACCR Item #: 2910

SAS Variable Name: CSsitespecificfactor420042017va

Research Plus Limited-Field: No

Field Description: Each CS site-specific factor (SSF) is schema dependent. They can provide

information needed to stage the case, clinically relevant information, or prognostic information. Available for varying years and schemas depending on standard setter requirements. Earlier cases may be converted and new codes added which weren't available for use prior to the current version of

CS.

For more information, see variable documentation.

CS SITE-SPECIFIC FACTOR 5 (2004-2017 varying by schema)

NAACCR Item #: 2920

SAS Variable Name: CSsitespecificfactor520042017va

Research Plus Limited-Field: No

Field Description: Each CS site-specific factor (SSF) is schema dependent. They can provide

information needed to stage the case, clinically relevant information, or prognostic information. Available for varying years and schemas depending on standard setter requirements. Earlier cases may be converted and new codes added which weren't available for use prior to the current version of

CS.

For more information, see variable documentation.

CS SITE-SPECIFIC FACTOR 6 (2004-2017 varying by schema)

NAACCR Item #: 2930

SAS Variable Name: CSsitespecificfactor620042017va

Research Plus Limited-Field: No

Field Description: Each CS site-specific factor (SSF) is schema dependent. They can provide

information needed to stage the case, clinically relevant information, or prognostic information. Available for varying years and schemas depending on standard setter requirements. Earlier cases may be converted and new codes added which weren't available for use prior to the current version of

CS.

For more information, see <u>variable documentation</u>.

CS SITE-SPECIFIC FACTOR 7 (2004-2017 varying by schema)

NAACCR Item #: 2861

SAS Variable Name: CSsitespecificfactor720042017va

Research Plus Limited-Field: No

Field Description: Each CS site-specific factor (SSF) is schema dependent. They can provide

information needed to stage the case, clinically relevant information, or prognostic information. Available for varying years and schemas depending on standard setter requirements. Earlier cases may be converted and new codes added which weren't available for use prior to the current version of

CS.

For more information, see <u>variable documentation</u>.

CS SITE-SPECIFIC FACTOR 8 (2004-2017 varying by schema)

NAACCR Item #: 2862

SAS Variable Name: CSsitespecificfactor820042017va

Research Plus Limited-Field: No

Field Description: Each CS site-specific factor (SSF) is schema dependent. They can provide

information needed to stage the case, clinically relevant information, or prognostic information. Available for varying years and schemas depending on standard setter requirements. Earlier cases may be converted and new codes added which weren't available for use prior to the current version of

CS.

For more information, see variable documentation.

CS SITE-SPECIFIC FACTOR 9 (2004-2017 varying by schema)

NAACCR Item #: 2863

SAS Variable Name: CSsitespecificfactor920042017va

Research Plus Limited-Field: No

Field Description: Each CS site-specific factor (SSF) is schema dependent. They can provide

information needed to stage the case, clinically relevant information, or prognostic information. Available for varying years and schemas depending on standard setter requirements. Earlier cases may be converted and new codes added which weren't available for use prior to the current version of

CS.

For more information, see <u>variable documentation</u>.

CS SITE-SPECIFIC FACTOR 10 (2004-2017 varying by schema)

NAACCR Item #: 2864

SAS Variable Name: CSsitespecificfactor1020042017v

Research Plus Limited-Field: No

Field Description: Each CS site-specific factor (SSF) is schema dependent. They can provide

information needed to stage the case, clinically relevant information, or prognostic information. Available for varying years and schemas depending on standard setter requirements. Earlier cases may be converted and new codes added which weren't available for use prior to the current version of

CS.

For more information, see <u>variable documentation</u>.

CS SITE-SPECIFIC FACTOR 11 (2004-2017 varying by schema)

NAACCR Item #: 2865

SAS Variable Name: CSsitespecificfactor1120042017v

Research Plus Limited-Field: No

Field Description: Each CS site-specific factor (SSF) is schema dependent. They can provide

information needed to stage the case, clinically relevant information, or prognostic information. Available for varying years and schemas depending on standard setter requirements. Earlier cases may be converted and new codes added which weren't available for use prior to the current version of

CS.

For more information, see variable documentation.

CS SITE-SPECIFIC FACTOR 12 (2004-2017 varying by schema)

NAACCR Item #: 2866

SAS Variable Name: CSsitespecificfactor1220042017v

Research Plus Limited-Field: No

Field Description: Each CS site-specific factor (SSF) is schema dependent. They can provide

information needed to stage the case, clinically relevant information, or prognostic information. Available for varying years and schemas depending on standard setter requirements. Earlier cases may be converted and new codes added which weren't available for use prior to the current version of

CS.

For more information, see variable documentation.

CS SITE-SPECIFIC FACTOR 13 (2004-2017 varying by schema)

NAACCR Item #: 2867

SAS Variable Name: CSsitespecificfactor1320042017v

Research Plus Limited-Field: No

Field Description: Each CS site-specific factor (SSF) is schema dependent. They can provide

information needed to stage the case, clinically relevant information, or prognostic information. Available for varying years and schemas depending on standard setter requirements. Earlier cases may be converted and new codes added which weren't available for use prior to the current version of

CS.

For more information, see <u>variable documentation</u>.

CS SITE-SPECIFIC FACTOR 15 (2004-2017 varying by schema)

NAACCR Item #: 2869

SAS Variable Name: CSsitespecificfactor1520042017v

Research Plus Limited-Field: No

Field Description: Each CS site-specific factor (SSF) is schema dependent. They can provide

information needed to stage the case, clinically relevant information, or prognostic information. Available for varying years and schemas depending on standard setter requirements. Earlier cases may be converted and new codes added which weren't available for use prior to the current version of

CS.

For more information, see variable documentation.

CS SITE-SPECIFIC FACTOR 16 (2004-2017 varying by schema)

NAACCR Item #: 2870

SAS Variable Name: CSsitespecificfactor1620042017v

Research Plus Limited-Field: No

Field Description: Each CS site-specific factor (SSF) is schema dependent. They can provide

information needed to stage the case, clinically relevant information, or prognostic information. Available for varying years and schemas depending on standard setter requirements. Earlier cases may be converted and new codes added which weren't available for use prior to the current version of

CS.

For more information, see <u>variable documentation</u>.

CS SITE-SPECIFIC FACTOR 25 (2004-2017 varying by schema)

NAACCR Item #: 2879

SAS Variable Name: CSsitespecificfactor2520042017v

Research Plus Limited-Field: No

Field Description: Each CS site-specific factor (SSF) is schema dependent. They can provide

information needed to stage the case, clinically relevant information, or prognostic information. Available for varying years and schemas depending on standard setter requirements. Earlier cases may be converted and new codes added which weren't available for use prior to the current version of

CS.

For more information, see variable documentation.

DERIVED AJCC T, 6th ED (2004-2015)

NAACCR Item #: 2940

SAS Variable Name: $Derived_AJCC_T_6^{th}_ed_2004_2015$

Research Plus Limited-Field: No

Field Description: This is the AJCC "T" component that is derived from CS coded fields, using

the CS algorithm, effective with 2004-2015 diagnosis years. For more

information, see variable documentation.

	information, s
Code	Description
99	TX
00	T0
01	Та
05	Tis
06	Tispu (Urethra only)
07	Tispd (Urethra only)
10	T1
11	T1mic
19	T1 NOS
12	Tla
13	Tlal
14	T1a2
15	T1b
16	T1b1
17	T1b2
18	T1c
20	T2
29	T2 NOS
21	T2a
22	T2b
23	T2c
30	T3
39	T3 NOS
31	T3a
32	T3b
33	T3c
40	T4
49	T4 NOS
41	T4a
42	T4b
43	T4c
44	T4d
80	T1a NOS
81	T1b NOS
88	Not applicable
126	Blank

DERIVED AJCC N, 6th ED (2004-2015)

NAACCR Item #: 2960

SAS Variable Name: Derived_AJCC_N_6th_ed_2004_2015

Research Plus Limited-Field: No

Field Description: This is the AJCC "N" component that is derived from CS coded fields, using the CS algorithm, effective with 2004-2015 diagnosis years. For more

information, see variable documentation.

Code	Description
99	NX
00	N0
01	N0(i-)
02	N0(i+)
03	N0(mol-)
04	N0(mol+)
10	N1
19	N1 NOS
11	N1a
12	N1b
13	N1c
18	N1mi
20	N2
29	N2 NOS
21	N2a
22	N2b
23	N2c
30	N3
39	N3 NOS
31	N3a
32	N3b
33	N3c
88	Not applicable
126	Blank

DERIVED AJCC M, 6th ED (2004-2015)

NAACCR Item #: 2980

SAS Variable Name: Derived_AJCC_M_6th_ed_2004_2015

Research Plus Limited-Field: No

Field Description: This is the AJCC "M" component that is derived from CS coded fields, using

the CS algorithm, effective with 2004-2015 diagnosis years. For more

information, see variable documentation.

Code	Description
99	MX
00	M0
10	M1
11	M1a
12	M1b
13	M1c
19	M1 NOS
88	Not applicable
126	Blank

DERIVED AJCC STAGE GROUP, 6th ED (2004-2015)

NAACCR Item #: 3000

SAS Variable Name: DerivedAJCCStageGroup6thed20042

Research Plus Limited-Field: No

Field Description: This is the AJCC "Stage Group" component that is derived from CS detailed

site-specific codes, using the CS algorithm, effective with 2004-2015 diagnosis years. For more information, see variable documentation.

Code	Description
00	Stage 0
01	Stage 0a
02	Stage 0is
10	Stage I
11	Stage I NOS
12	Stage IA
13	Stage IA1
14	Stage IA2
15	Stage IB
16	Stage IB1
17	Stage IB2
18	Stage IC

(Continued from DERIVED AJCC STAGE GROUP, 6th ED (2004-2015))

Code	Description
19	Stage IS
23	Stage ISA (lymphoma only)
24	Stage ISB (lymphoma only)
20	Stage IEA (lymphoma only)
21	Stage IEB (lymphoma only)
22	Stage IE (lymphoma only)
30	Stage II (Tymphoma omy)
31	Stage II NOS
32	Stage IIA
33	Stage IIB
34	Stage IIC
35	Stage IIEA (lymphoma only)
36	Stage IIEB (lymphoma only)
36 37	Stage IIE (lymphoma only) Stage IIE (lymphoma only)
38	Stage IISA (lymphoma only)
39	Stage IISB (lymphoma only)
40	Stage IIS (lymphoma only)
41	Stage IIESA (lymphoma only)
42	Stage IIESB (lymphoma only)
43	Stage IIES (lymphoma only)
50	Stage III
51	Stage III NOS
52	Stage IIIA
53	Stage IIIB
54	Stage IIIC
55	Stage IIIEA (lymphoma only)
56	Stage IIIEB (lymphoma only)
57	Stage IIIE (lymphoma only)
58	Stage IIISA (lymphoma only)
59	Stage IIISB (lymphoma only)
60	Stage IIIS (lymphoma only)
61	Stage IIIESA (lymphoma only)
62	Stage IIIESB (lymphoma only)
63	Stage IIIES (lymphoma only)
70	Stage IV
71	Stage IV NOS
72	Stage IVA
73	Stage IVB
74	Stage IVC
88	Not applicable
90	Stage Occult
99	Stage Unknown
126	Blank

SEER COMBINED SUMMARY STAGE 2000 (2004-2017)

NAACCR Item #: N/A

SAS Variable Name: Summary_stage_2000_2004

Research Plus Limited-Field: Yes

Field Description: Combination of NAACCR Items #759 and #3020. For 2004-2015 cases, it is

copied from Derived SS2000 and for 2016+, it is the best available between Derived SS2000 and SEER Summary Stage 2000. All benign/borderline

cases are set to NA.

COMBINED SUMMARY STAGE (2004+)

NAACCR Item #: N/A

SAS Variable Name: Combined Summary Stage 2004

Research Plus Limited-Field: Yes

Field Description: Combined Summary Stage field to facilitate stage analyses over time.

Created from SEER Combined Summary Stage 2000 (2004-2017) & Derived Summary Stage 2018 (2018+). For more information including sites, years

and registries for which it isn't calculated, see

https://seer.cancer.gov/seerstat/variables/seer/lrd-stage/

CS VERSION INPUT ORIGINAL (2004-2015)

NAACCR Item #: 2935

SAS Variable Name: CSversioninputoriginal2004 2015

Research Plus Limited-Field: No

Field Description: This item indicates the number of the version used to initially code CS fields.

The first two digits represent the major version number; the second two digits represent minor version changes; and, the last two digits represent even less significant changes, such as corrections of typographical errors that do

not affect coding or derivation of results.

This data item along with CS version input current gives info on what

document to use for the CS codes. For more information, see

http://seer.cancer.gov/seerstat/variables/seer/ajcc-stage.

CS VERSION DERIVED (2004-2015)

NAACCR Item #: 2936

SAS Variable Name: CS_version_derived_2004_2015

Research Plus Limited-Field: No

Field Description: This item indicates the number of the version of the CS used most recently to

derive the CS output fields. The first two digits represent the major version number; the second two digits represent minor version changes; and, the last two digits represent even less significant changes, such as corrections of typographical errors that do not affect coding or derivation of results.

CS VERSION INPUT CURRENT (2004-2015)

NAACCR Item #: 2937

SAS Variable Name: CSversioninputcurrent_2004_2015

Research Plus Limited-Field: No

Field Description: This item indicates the number of the version of the CS after input fields

have been updated or recoded. The first two digits represent the major version number; the second two digits represent minor version changes; and, the last two digits represent even less significant changes, such as corrections of typographical errors that do not affect coding or derivation of results.

This data item along with CS version input original gives info on what document to use for the CS codes. For more information, see

http://seer.cancer.gov/seerstat/variables/seer/ajcc-stage.

RX SUMM—SURG PRIM SITE (1998+)

NAACCR Item #: 1290

SAS Variable Name: RX_Summ_Surg_Prim_Site_1998

Research Plus Limited-Field: No

Field Description: Surgery of Primary Site describes a surgical procedure that removes and/or

destroys tissue of the primary site performed as part of the initial work-up or first course of therapy. The actual coding schemes for individual sites and

diagnosis years can be viewed here

General Coding Structure

Code	Description
00	None; no surgical procedure of primary site; diagnosed at autopsy only
10-19	Site-specific codes. Tumor destruction; no pathologic specimen or unknown whether there is a pathologic specimen
20-80	Site-specific codes. Resection; pathologic specimen
90	Surgery, NOS. A surgical procedure to the primary site was done, but no information on the type of surgical procedure is provided.
98	Special codes for hematopoietic, reticuloendothelial, immunoproliferative, myeloproliferative diseases; ill-defined sites; and unknown primaries (See site-specific codes for the sites and histologies), except death certificate only
99	Unknown if surgery performed; death certificate only
126	Blank

For diagnosis years 1998-2002, SEER registries were required to convert field RX Summ—Surg Site 98-02 (NAACCR Item #1646) to RX Summ—Surg Prim Site.

RX SUMM—SCOPE REG LN SUR (2003+)

NAACCR Item #: 1292

SAS Variable Name: RX_Summ_Scope_Reg_LN_Sur_2003

Research Plus Limited-Field: No

Field Description: Scope of Regional Lymph Node Surgery describes the procedure of removal,

biopsy, or aspiration of regional lymph nodes performed during the initial

work-up or first course of therapy at all facilities.

Changed to Unknown or Not Applicable for breast cancer cases. See http://seer.cancer.gov/seerstat/variables/seer/regional_ln/ for more

information.

Code	Description
0	No regional lymph nodes removed or aspirated; diagnosed
	at autopsy.
1	Biopsy or aspiration of regional lymph node, NOS
2	Sentinel lymph node biopsy [only]
3	Number of regional lymph nodes removed unknown, not
	stated; regional lymph nodes removed, NOS
4	1 to 3 regional lymph nodes removed
5	4 or more regional lymph nodes removed
6	Sentinel node biopsy and code 3, 4, or 5 at same time or
	timing not noted
7	Sentinel node biopsy and code 3, 4, or 5 at different times
9	Unknown or not applicable; death certificate only
14	Blank

RX SUMM-SURG OTH REG/DIS (2003+)

NAACCR Item #: 1294

SAS Variable Name: RX_Summ_Surg_Oth_Reg_Dis_2003

Research Plus Limited-Field: No

Field Description: Surgical procedure of Other Site describes the surgical removal of distant

lymph node(s) or other tissue(s) or organ(s) beyond the primary site.

Code	Description
0	None; diagnosed at autopsy
1	Nonprimary surgical procedure performed
2	Nonprimary surgical procedure to other regional sites
3	Non-primary surgical procedure to distant lymph node(s)
4	Nonprimary surgical procedure to distant site
5	Combination of codes 2, 3, or 4
9	Unknown; death certificate only
14	Blank

RX SUMM-REG LN EXAMINED (1998-2002)

NAACCR Item #: 1296

SAS Variable Name: RXSummReg_LN_Examined_1998_2002

Research Plus Limited-Field: No

Field Description: This data item records the number of regional lymph nodes examined in

conjunction with surgery performed as part of the first course of treatment at all facilities. This item is only available for cases diagnosed 1998-2002.

Code	Description
00	No regional lymph nodes examined
01	One regional lymph node examined
02	Two regional lymph nodes examined
	(Actual number of lymph nodes examined)
90	90 or more regional lymph nodes examined
95	No regional lymph nodes examined
96	Regional lymph node removal documented as sampling, and number of lymph nodes unknown/not stated
97	Regional lymph nodes unknown/not stated number of lymph nodes unknown/not stated
98	Regional lymph nodes surgically removed, but number of lymph nodes unknown/not stated and not documented as sampling or dissection
99	Unknown; not stated; death certificate-only
126	Blank

RX SUMM-SYSTEMIC SUR SEQ

NAACCR Item #: 1639

SAS Variable Name: RX_Summ_Systemic_Sur_Seq

Research Plus Limited-Field: No

Field Description: This data item records the sequencing of systemic therapy and surgical

procedures given as part of first course of treatment.

Code	Description
0	No systemic therapy and/or surgical procedures; unknown if
	surgery and/or systemic therapy given
2	Systemic therapy before surgery
3	Systemic therapy after surgery
4	Systemic therapy both before and after surgery
5	Intraoperative systemic therapy
6	Intraoperative systemic therapy with other therapy administered
	before and/or after surgery
7	Surgery both before and after systemic therapy
9	Sequence unknown, but both surgery and systemic therapy
	given

RX SUMM--SURG/RAD SEQ

NAACCR Item #: 1380

SAS Variable Name: RX_Summ_Surg_Rad_Seq

Research Plus Limited-Field: No

Field Description: This field records the order in which surgery and radiation therapies were

administered for those patients who had both surgery and radiation.

Code	Description
0	No radiation and/or surgery as defined above
2	Radiation before surgery
3	Radiation after surgery
4	Radiation both before and after surgery
5	Intraoperative radiation
6	Intraoperative radiation with other radiation given before and/or
	after surgery
7	Surgery both before and after radiation
9	Sequence unknown, but both surgery and radiation were given

REASON NO CANCER-DIRECTED SURGERY

NAACCR Item #: 1340

SAS Variable Name: Reasonnocancer_directed_surgery

Research Plus Limited-Field: No

Field Description: This data item documents the reason that surgery was not performed.

Code	Description
0	Surgery performed

No surgery

Code	Description
1*	Surgery not recommended
2*	Contraindicated due to other conditions; Autopsy Only case (1973-2002)
5	Patient died before recommended surgery
6	Unknown reason for no surgery
7*	Patient or patient's guardian refused

Unknown if surgery performed

Code	Description
8	Recommended, unknown if done
9	Unknown if surgery performed; Death Certificate Only
	case; Autopsy only case (2003+)
14	Blank

^{*}Codes not used prior to 1988. Code '2' used only for Autopsy Only cases prior to 1988.

RADIATION RECODE

NAACCR Item #: N/A

SAS Variable Name: Radiation_recode

Research Plus Limited-Field: No

Field Description: This data item indicates the method of radiation therapy performed as part of

the first course of treatment. It is a recode of NAACCR Item #1360.

Code	Description
0	None/Unknown; diagnosed at autopsy
1	Beam radiation
2	Radioactive implants
3	Radioisotopes
4	Combination of 1 with 2 or 3
5	Radiation, NOS—method or source not specified
6	Other radiation (1973-1987 cases only)
7	Patient or patient's guardian refused radiation therapy
8	Radiation recommended, unknown if administered

CHEMOTHERAPY RECODE (YES, NO/UNK)

NAACCR Item #: N/A

SAS Variable Name: Chemotherapy_recode_yes_no_unk

Research Plus Limited-Field: No

Field Description: This field records whether chemotherapy was given

Code	Description
0	None/Unknown
1	Yes

SITE SPECIFIC SURGERY (1973-1997 VARYING DETAIL BY YEAR AND SITE)

NAACCR Item #: 1640

SAS Variable Name: Sitespecificsurgery19731997vary

Research Plus Limited-Field: No

Field Description: For detailed information on individual sites and time periods please see:

http://seer.cancer.gov/seerstat/variables/seer/surgery/

This field specifies information on surgery during first course of therapy whether it was cancer-directed or not. (Prior to 1988 SEER did not collect information on surgical procedures if not cancer-directed.) The Reason for No Cancer-directed Surgery field must be used to distinguish among no cancer-directed surgery performed; cancer-directed surgery recommended, unknown if performed; and unknown if cancer-directed surgery performed.

SCOPE OF REG LYMPH ND SURG (1998-2002)

NAACCR Item #: 1647

SAS Variable Name: Scopeofreglymphndsurg_1998_2002

Research Plus Limited-Field: No

Field Description: This field describes the removal, biopsy or aspiration of regional lymph

node(s) at the time of surgery of the primary site or during a separate surgical

event at all facilities for cases diagnosed 1998-2002.

Changed to Unknown or Not Applicable for breast cancer cases. See http://seer.cancer.gov/seerstat/variables/seer/regional ln/ for more

information.

 $See \ \underline{http://seer.cancer.gov/manuals/historic/AppendC.pdf} \ for \ a \ list \ of \ valid$

codes.

SURGERY OF OTH REG/DIS SITES (1998-2002)

NAACCR Item #: 1648

SAS Variable Name: Surgeryofothregdissites19982002

Research Plus Limited-Field: No

Field Description: This field records the removal of distant lymph nodes or other

tissue(s)/organ(s) beyond the primary site given at all facilities as part of the

first course of treatment for cases diagnosed 1998-2002.

See http://seer.cancer.gov/manuals/historic/AppendC.pdf for a list of valid

codes.

RECORD NUMBER RECODE

NAACCR Item #: 1775

SAS Variable Name: Record number recode

Research Plus Limited-Field: Yes

Field Description: This variable sequentially numbers a person's tumors. The ordered values are

based on date of diagnosis and then sequence number. This variable is used as part of the algorithm for calculating the survival time recode variables (NAACCR items 1782-1788) and is used for survival, prevalence, and multiple primary – standardized incidence ratio analyses in SEER*Stat.

Code	Description
01	Record number 01 for patient
02	Record number 02 for patient
99	Record number 99 for patient

AGE RECODE WITH <1 YEAR OLDS

NAACCR Item #: N/A

 $SAS\ Variable\ Name:\ Age_recode_with_1_year_olds$

Research Plus Limited-Field: Yes

Field Description: The age recode variable is based on Age at Diagnosis (single-year ages). The

groupings used in the age recode variable are determined by the age groupings in the population data. This recode has 19 age groups in the age

recode variable (< 1 year, 1-4 years, 5-9 years, ..., 85+ years).

Codo	Description
Code	Description
00	Age 00
01	Ages 01-04
02	Ages 05-09
03	Ages 10-14
04	Ages 15-19
05	Ages 20-24
06	Ages 25-29
07	Ages 30-34
08	Ages 35-39
09	Ages 40-44
10	Ages 45-49
11	Ages 50-54
12	Ages 55-59
13	Ages 60-64
14	Ages 65-69
15	Ages 70-74
16	Ages 75-79
17	Ages 80-84
18	Ages 85+
29	Unknown Age

SITE RECODE ICD-O-3/WHO 2008

NAACCR Item #: N/A

SAS Variable Name: Site recode ICD O 3 WHO 2008

Research Plus Limited-Field: Yes

Field Description: A recode based on Primary Site and ICD-O-3 Histology in order to make

analyses of site/histology groups easier. For example, the lymphomas are excluded from stomach and Kaposi and mesothelioma are separate categories

based on histology. For more information, see

http://seer.cancer.gov/siterecode/icdo3 dwhoheme/index.html

SITE RECODE - RARE TUMORS

NAACCR Item #: N/A

SAS Variable Name: Site_recode_rare_tumors

Research Plus Limited-Field: Yes

Field Description: Cancer type grouping to define clinically relevant, histologically defined

rare cancers. For more information, see

https://seer.cancer.gov/seerstat/variables/seer/raresiterecode/

BEHAVIOR RECODE FOR ANALYSIS

NAACCR Item #: N/A

SAS Variable Name: Behavior_recode_for_analysis

Research Plus Limited-Field: Yes

Field Description: This recode was created so that data analyses could eliminate major groups

of histologies/behaviors that weren't collected consistently over time, for example benign brain, myelodysplastic syndromes, and borderline tumors of

the ovary. Created from ICD-O-3 behavior and histology. For more

information, see http://seer.cancer.gov/behavrecode.

Code	Description
0	Benign
1	Borderline malignancy
2	In situ
3	Malignant
4	Only malignant in ICD-O-3
5	No longer reportable in ICD-O-3
6	Only malignant 2010+

HISTOLOGY RECODE—BROAD GROUPINGS

NAACCR Item #: N/A

SAS Variable Name: Histologyrecode_broad_groupings Research Plus Limited-Field: Yes

Field Description: Based on Histologic Type ICD-O-3.

Code	Description
00	8000-8009: unspecified neoplasms
01	8010-8049 : epithelial neoplasms, NOS
02	8050-8089 : squamous cell neoplasms
03	8090-8119 : basal cell neoplasms
04	8120-8139: transitional cell papillomas and carcinomas
05	8140-8389 : adenomas and adenocarcinomas
06	8390-8429 : adnexal and skin appendage neoplasms
07	8430-8439 : mucoepidermoid neoplasms
08	8440-8499 : cystic, mucinous and serous neoplasms
09	8500-8549: ductal and lobular neoplasms
10	8550-8559 : acinar cell neoplasms
11	8560-8579 : complex epithelial neoplasms
12	8580-8589 : thymic epithelial neoplasms
13	8590-8679 : specialized gonadal neoplasms
14	8680-8719 : paragangliomas and glumus tumors
15	8720-8799 : nevi and melanomas
16	8800-8809 : soft tissue tumors and sarcomas, NOS
17	8810-8839 : fibromatous neoplasms
18	8840-8849 : myxomatous neoplasms
19	8850-8889 : lipomatous neoplasms
20	8890-8929 : myomatous neoplasms
21	8930-8999 : complex mixed and stromal neoplasms
22	9000-9039 : fibroepithelial neoplasms
23	9040-9049 : synovial-like neoplasms
24	9050-9059: mesothelial neoplasms
25	9060-9099: germ cell neoplasms
26	9100-9109: trophoblastic neoplasms
27	9110-9119: mesonephromas
28	9120-9169 : blood vessel tumors
29	9170-9179 : lymphatic vessel tumors
(Cti	1 , ,

(Continued from HISTOLOGY RECODE—BROAD GROUPINGS)

Code	Description
30	9180-9249: osseous and chondromatous neoplasms
31	9250-9259 : giant cell tumors
32	9260-9269 : miscellaneous bone tumors (C40,C41)
33	9270-9349 : odontogenic tumors (C41)
34	9350-9379 : miscellaneous tumors
35	9380-9489 : gliomas
36	9490-9529: neuroepitheliomatous neoplasms
37	9530-9539: meningiomas
38	9540-9579: nerve sheath tumors
39	9580-9589 : granular cell tumors & alveolar soft part sarcomas
40	9590-9599: malignant lymphomas, NOS or diffuse
41	9650-9669 : hodgkin lymphomas
42	9670-9699: nhl - mature b-cell lymphomas
43	9700-9719: nhl - mature t and nk-cell lymphomas
44	9720-9729 : nhl - precursor cell lymphoblastic lymphoma
45	9730-9739 : plasma cell tumors
46	9740-9749 : mast cell tumors
47	9750-9759 : neoplasms of histiocytes and accessory lymphoid cells
48	9760-9769 : immunoproliferative diseases
49	9800-9805: leukemias, nos
50	9820-9839 : lymphoid leukemias (C42.1)
51	9840-9939 : myeloid leukemias (C42.1)
52	9940-9949 : other leukemias (C42.1)
53	9950-9969 : chronic myeloproliferative disorders (C42.1)
54	9970-9979 : other hematologic disorders
55	9980-9989 : myelodysplastic syndrome
98	other

HISTOLOGY RECODE—BRAIN GROUPINGS

NAACCR Item #: N/A

SAS Variable Name: Histologyrecode_Brain_groupings Research Plus Limited-Field: Yes

Field Description: Based on Histologic Type ICD-O-3.

Code	Description
01	Diffuse astrocytoma (protoplasma, fibrillary)
02	Anaplastic astrocytoma
03	Glioblastoma
04	Pilocytic astrocytoma
05	Unique astrocytoma variants
06	Oligodendroglioma
07	Anaplastic oligodendroglioma
08	Ependymoma/anaplastic ependymoma
09	Ependymoma variants
10	Mixed glioma
11	Astrocytoma, NOS
12	Glioma, NOS
13	Choroid plexus
14	Neuroepithelial
15	Benign & malignant neuronal/glial, neuronal & mixed
16	Pineal parenchymal
17	Embryonal/primitive/medulloblastoma
18	Nerve sheath, benign and malignant
19	Meningioma, benign and malignant
20	Other mesenchymal, benign and malignant
21	Hemangioma and hemagioblastoma
22	Lymphoma
23	Germ cell tumors, cysts, and heterotopias
24	Chordoma/chondrosarcoma
25	Pituitary
26	Craniopharyngioma
27	Neoplasm, unspecified, benign and malignant
97	Other Brain Histologies
98	Not Brain

ICCC SITE RECODE EXTENDED 3RD EDITION/IARC 2017

NAACCR Item #: N/A

SAS Variable Name: ICCCsiterecodeextended3rdeditio

Research Plus Limited-Field: Yes

Field Description: Based on ICD-O-3. For more information on this International Classification

of Childhood Cancer (ICCC) site/histology recode, see

https://seer.cancer.gov/iccc. While the recode is normally used for childhood

cancers, it is on the file for all ages so that childhood cancers could be

compared across age groups. For more information, see

https://seer.cancer.gov/iccc/iccc-iarc-2017.html

TNM 7/CS v0204+ Schema (thru 2017)

NAACCR Item #: N/A

SAS Variable Name: TNM_7_CS_v0204_Schema_thru_2017

Research Plus Limited-Field: No

Field Description: Information is collected under the specifications of a particular schema based

on site and histology. This recode should be used in any analysis of 7th ed

stage and T, N, M.

(Table begins on next page)

(Continued from TNM 7/CS v0204+ (thru 2017))

Code	Description
001	AdnexaUterineOther
002	AdrenalGland
003	AmpullaVater
004	Anus
005	Appendix
006	BileDuctsDistal
007	BileDuctsIntraHepat
800	BileDuctsPerihilar
009	BiliaryOther
010	Bladder
011	Bone
012	Brain
013	Breast
014	BuccalMucosa
015	CarcinoidAppendix
016	Cervix
017	CNSOther
018	Colon
019	Conjunctiva
020	CorpusAdenosarcoma
021	CorpusCarcinoma
022	CorpusSarcoma
023	CysticDuct
024	DigestiveOther
025	EndocrineOther
026	EpiglottisAnterior
027	Esophagus
028	EsophagusGEJunction

(Continued from TNM 7/CS v0204+ (thru 2017))

Code	Description
029	EyeOther
030	FallopianTube
031	FloorMouth
032	Gallbladder
033	GenitalFemaleOther
034	GenitalMaleOther
035	GISTAppendix
036	GISTColon
037	GISTEsophagus
038	GISTPeritoneum
039	GISTRectum
040	GISTSmallIntestine
041	GISTStomach
042	GumLower
043	GumOther
044	GumUpper
045	HeartMediastinum
046	HemeRetic
047	Hypopharynx
048	IllDefinedOther
049	IntracranialGland
050	KaposiSarcoma
051	KidneyParenchyma
052	KidneyRenalPelvis
053	LacrimalGland
054	LacrimalSac
055	LarynxGlottic
056	LarynxOther
057	LarynxSubglottic
058	LarynxSupraglottic
059	LipLower
060	LipOther
061	LipUpper
062	Liver
063	Lung

(Continued from TNM 7/CS v0204+ (thru 2017))

<u> </u>	D
Code	Description
064	Lymphoma
065	LymphomaOcularAdnexa
066	MelanomaBuccalMucosa
067	MelanomaChoroid
068	MelanomaCiliaryBody
069	MelanomaConjunctiva
070	MelanomaEpiglottisAnterior
071	MelanomaEyeOther
072	MelanomaFloorMouth
073	MelanomaGumLower
074	MelanomaGumOther
075	MelanomaGumUpper
076	MelanomaHypopharynx
077	MelanomaIris
078	MelanomaLarynxGlottic
079	MelanomaLarynxOther
080	MelanomaLarynxSubglottic
081	MelanomaLarynxSupraglottic
082	MelanomaLipLower
083	MelanomaLipOther
084	MelanomaLipUpper
085	MelanomaMouthOther
086	MelanomaNasalCavity
087	MelanomaNasopharynx
088	MelanomaOropharynx
089	MelanomaPalateHard
090	MelanomaPalateSoft
091	MelanomaPharynxOther
092	MelanomaSinusEthmoid
093	MelanomaSinusMaxillary
094	MelanomaSinusOther
095	MelanomaSkin
096	MelanomaTongueAnterior
097	MelanomaTongueBase
098	MerkelCellPenis

(Continued from TNM 7/CS v0204+ (thru 2017))

Code	Description
099	MerkelCellScrotum
100	MerkelCellSkin
100	MerkelCellVulva
101	MiddleEar
102	MouthOther
103	
104	MycosisFungoides MyelomaPlasmaCellDisorder
105	NasalCavity
107	Nasopharynx
107	NETAmpulla
108	NETColon
110	NETRectum
110	NETSmallIntestine
111	NETStomach
113	Orbit
113	Oropharynx
115	Ovary
116	PalateHard
117	PalateSoft
118	PancreasBodyTail
119	Pancreas Head
120	PancreasOther
121	ParotidGland
122	Penis
123	Peritoneum
124	PeritoneumFemaleGen
125	PharyngealTonsil
126	PharynxOther
127	Placenta
128	Pleura
129	Prostate
130	Rectum
131	RespiratoryOther
132	Retinoblastoma
133	Retroperitoneum

(Continued from TNM 7/CS v0204+ (thru 2017)

Code	Description
134	SalivaryGlandOther
135	Scrotum
136	SinusEthmoid
137	SinusMaxillary
138	SinusOther
139	Skin
140	SkinEyelid
141	SmallIntestine
142	SoftTissue
143	Stomach
144	SubmandibularGland
145	Testis
146	Thyroid
147	TongueAnterior
148	TongueBase
149	Trachea
150	Urethra
151	UrinaryOther
152	Vagina
153	Vulva

TNM 7/CS V0204+ SCHEMA RECODE

NAACCR Item #: N/A

SAS Variable Name: TNM_7_CS_v0204_Schema_recode

Research Plus Limited-Field: No

Field Description: Allows the identification of categories consistent with TNM 7/CS v0204+

Schema to include cases 2018+. This variable will facilitate the analyses of the 2010+ SSDI recodes, which require consistent cohorts over time. Stomach and Esophagus GE Junction combined into a single grouping.

RACE RECODE (WHITE, BLACK, OTHER)

NAACCR Item #: N/A

SAS Variable Name: Race recode White Black Other

Research Plus Limited-Field: Yes

Field Description: Race recode is based on the race variables and the American Indian/Native

American IHS link variable. This recode should be used to link to the populations for white, black and other. It is independent of Hispanic

ethnicity. For more information, see

http://seer.cancer.gov/seerstat/variables/seer/race ethnicity.

Code	Description
1	White
2	Black
3	Other (American Indian/AK Native, Asian/Pacific Islander)
7	Other unspecified (1991+)
9	Unknown

RACE RECODE (W, B, AI, API)

NAACCR Item #: N/A

SAS Variable Name: Race recode W B AI API

Research Plus Limited-Field: Yes

Field Description: Caution should be exercised when using this variable. For more information,

see http://seer.cancer.gov/seerstat/variables/seer/race_ethnicity.

Code	Description
1	White
2	Black
3	American Indian/Alaska Native
4	Asian or Pacific Islander
7	Other unspecified (1991+)
9	Unknown

ORIGIN RECODE NHIA (HISPANIC, NON-HISP)

NAACCR Item #: N/A

SAS Variable Name: OriginrecodeNHIAHispanicNonHisp

Research Plus Limited-Field: Yes

Field Description: Caution should be exercised when using this variable. For more information,

see http://seer.cancer.gov/seerstat/variables/seer/race ethnicity.

Code	Description	
0	Non-Spanish-Hispanic-Latino	
1	Spanish-Hispanic-Latino	

RACE AND ORIGIN RECODE (NHW, NHB, NHAIAN, NHAPI, HISPANIC)

NAACCR Item #: N/A

SAS Variable Name: RaceandoriginrecodeNHWNHBNHAIAN

Research Plus Limited-Field: Yes

Field Description: Caution should be exercised when using this variable. For more information,

see http://seer.cancer.gov/seerstat/variables/seer/race ethnicity.

SEER HISTORIC STAGE A (1973-2015)

NAACCR Item #: N/A

SAS Variable Name: SEER_historic_stage_A_1973_2015

Research Plus Limited-Field: No

Field Description: Derived from Collaborative Stage (CS) for 2004-2015 and Extent of Disease

(EOD) from 1973-2003. It is a simplified version of stage: in situ, localized, regional, distant, & unknown. Over time several different EOD schemes have been used. Thus caution should be used when doing trend analysis.

For more information including sites and years for which it isn't calculated,

see http://seer.cancer.gov/seerstat/variables/seer/lrd-stage.

Code	Description
0	In situ — A noninvasive neoplasm; a tumor which has not penetrated the basement membrane nor extended beyond the epithelial tissue. Some synonyms are intraepithelial (confined to epithelial tissue), noninvasive and noninfiltrating.
1	Localized — An invasive neoplasm confined entirely to the organ of origin. It may include intraluminal extension where specified. For example for colon, intraluminal extension limited to immediately contiguous segments of the large bowel is localized, if no lymph nodes are involved. Localized may exclude invasion of the serosa because of the poor survival of the patient once the serosa is invaded.
2	Regional — A neoplasm that has extended 1) beyond the limits of the organ of origin directly into surrounding organs or tissues; 2) into regional lymph nodes by way of the lymphatic system; or 3) by a combination of extension and regional lymph nodes.
4	Distant — A neoplasm that has spread to parts of the body remote from the primary tumor either by direct extension or by discontinuous metastasis (e.g., implantation or seeding) to distant organs, issues, or via the lymphatic system to distant lymph nodes.
8	Localized/Regional – Only used for Prostate cases.
9	Unstaged — Information is not sufficient to assign a stage.
14	Blank

AJCC STAGE 3rd EDITION (1988-2003)

NAACCR Item #: N/A

SAS Variable Name: AJCCstage 3rd edition 1988 2003

Research Plus Limited-Field: No

Field Description: Derived by algorithm from extent of disease (EOD). Not available for all

years or for all sites.

For codes and descriptions, see:

http://seer.cancer.gov/seerstat/variables/seer/ajcc-stage/3rd.html

SEER MODIFIED AJCC STAGE 3rd ED (1988-2003)

NAACCR Item #: N/A

SAS Variable Name: SEERmodifiedAJCCstage3rd1988200

Research Plus Limited-Field: No

Field Description: Derived by algorithm from extent of disease (EOD). Not available for all

years or for all sites. The modified version stages cases that would be unstaged under strict AJCC staging rules. For example, it assumes NX is N0.

For codes and descriptions, see:

http://seer.cancer.gov/seerstat/variables/seer/ajcc-stage/3rd.html

FIRST MALIGNANT PRIMARY INDICATOR

NAACCR Item #: N/A

SAS Variable Name: Firstmalignantprimary indicator

Research Plus Limited-Field: Yes

Field Description: Based on all the tumors in SEER. Tumors not reported to SEER are assumed

malignant.

Code	Description
0	no
1	yes

STATE-COUNTY

NAACCR Item #: N/A

SAS Variable Name: State_county Research Plus Limited-Field: Yes

Field Description: This item is a state-county combination where the first two characters

represent the state FIPS code. The last three digits represent the FIPS county

code.

COUNTY ATRRIBUTES

NAACCR Item #:

SAS Variable Names: Medianhouseholdincomeinflationa, Rural_Urban_Continuum_Code Research Plus Limited-Field: Yes

Field Description: County attribute data from the U.S. Census are also linked to the SEER*Stat

databases. Variables available are dependent on the type of database. For

more information, see

https://seer.cancer.gov/seerstat/variables/countyattribs/.

If using the linked attribute database: "County Attributes - Time Dependent (1990-2018) Income/Rurality, 1969-2019 Counties", which only includes 2 categorical attributes (income and rurality), these fields can be included in case listings. Research Plus and Research Plus Limited-Field databases also have additional linked county attribute databases available. If using these

databases, the attributes are not available in case listing.

PRCDA 2017

NAACCR Item #: N/A

SAS Variable Name: PRCDA_2017 Research Plus Limited-Field: Yes

Field Description: This data item identifies whether or not the county of diagnosis is served by

PRCDA. The primary use of this field is to be able to limit analyses of

AI/AN race to areas served by PRCDA.

See https://seer.cancer.gov/seerstat/variables/seer/race_ethnicity
OR https://seer.cancer.gov/seerstat/variables/seer/race_ethnicity

PRCDA REGION

NAACCR Item #: N/A

SAS Variable Name: PRCDA_Region Research Plus Limited-Field: Yes

Field Description: This data item is a grouping of states that is primarily used when working

with PRCDA 2017. See

https://seer.cancer.gov/seerstat/variables/seer/race_ethnicity
OR https://seer.cancer.gov/seerstat/variables/countyattribs/

Code	Description
1	Alaska
2	East
3	Northern Plains
5	Pacific Coast
6	Southwest

COD TO SITE RECODE

NAACCR Item #: N/A

SAS Variable Name: COD_to_site_recode

Research Plus Limited-Field: No (Available for NY and TX)

Field Description: This recode was introduced to account for several newly valid ICD-10 codes

and includes both cancer and non-cancer causes of death.

See the following website for details:

http://seer.cancer.gov/codrecode/1969+ d03012018/index.html

COD TO SITE REC KM

NAACCR Item #: N/A

SAS Variable Name: COD_to_site_rec_KM

Research Plus Limited-Field: No (Available for NY and TX)

Field Description: This is a recode based on underlying cause of death to designate cause of

death into groups similar to the incidence site recode with KS and

mesothelioma. For more information, see

http://seer.cancer.gov/codrecode/1969+_d03012018/index.html. Study cutoff date has been applied, i.e. coded as alive if death occurred after study

cutoff.

VITAL STATUS RECODE (STUDY CUTOFF USED)

NAACCR Item #: N/A

SAS Variable Name: Vitalstatusrecodestudycutoffuse

Research Plus Limited-Field: No (Available for NY and TX)

Field Description: Any patient that dies after the follow-up cut-off date is recoded to alive as of

the cut-off date. (Date of death per Medicare is available for all persons

included in the linkage)

Code	Description
1	Alive
0	Dead

IHS LINK

NAACCR Item #: 192

SAS Variable Name: IHS_Link Research Plus Limited-Field: Yes

Field Description: Incidence files are periodically linked with Indian Health Service (IHS) files

to identify Native Americans. The race recode uses information from this field and race to determine if a person is Native American or not. See http://www.seer.cancer.gov/seerstat/variables/seer/race_ethnicity.

Code	Description
0	Record sent for linkage, no IHS match
1	Record sent for linkage, IHS match
2	Blank

SUMMARY STAGE 2000 (1998-2017)

NAACCR Item #: N/A

SAS Variable Name: Summary stage 2000 1998 2017

Research Plus Limited-Field: No

Field Description: Summary Stage 2000 is derived from Collaborative Stage (CS) for 2004+

and Extent of Disease (EOD) from 1998-2003. It is a simplified version of stage: in situ, localized, regional, distant, & unknown. Used in the SEER CSR and more recent SEER publications. For more information including

sites and years for which it isn't calculated, see

http://seer.cancer.gov/seerstat/variables/seer/lrd-stage.

AYA SITE RECODE/WHO 2008

NAACCR Item #: N/A

SAS Variable Name: AYA_site_recode_WHO_2008

Research Plus Limited-Field: Yes

Field Description: A site/histology recode that is mainly used to analyze data on adolescent and

young adults. The recode was applied to all cases no matter the age in order

that age comparisons can be made with these groupings. For more information, see http://www.seer.cancer.gov/ayarecode/index.html.

AYA SITE RECODE 2020 REVISION

NAACCR Item #: N/A

SAS Variable Name: AYA_site_recode_2020_Revision

Research Plus Limited-Field: Yes

Field Description: A site/histology recode that is mainly used to analyze data on adolescent and

young adults. The recode was applied to all cases no matter the age in order

that age comparisons can be made with these groupings. For more

information, see https://seer.cancer.gov/ayarecode/

LYMPHOID NEOPLASM RECODE 2021 REVISION

NAACCR Item #: N/A

SAS Variable Name: Lymphoidneoplasmrecode2021Revis

Research Plus Limited-Field: Yes

Field Description: A site/histology recode that is mainly used to analyze data on lymphoma sub-

types. Based on ICD-O-3. Note that cases diagnosed before 2001 were not coded under ICD-O-3 and were converted to ICD-O-3 and may not have the specificity of cases after 2000 that were coded directly under ICD-O-3. For

more information, see https://seer.cancer.gov/lymphomarecode/

LYMPHOMA SUBTYPE RECODE/WHO 2008 (thru 2017)

NAACCR Item #: N/A

SAS Variable Name: LymphomasubtyperecodeWHO2008thr

Research Plus Limited-Field: Yes

Field Description: A site/histology recode that is mainly used to analyze data on adolescent and

young adults. The recode was applied to all cases no matter the age in order

that age comparisons can be made with these groupings. For more

information, see http://seer.cancer.gov/lymphomarecode/.

SEER BRAIN AND CNS RECODE

NAACCR Item #: N/A

SAS Variable Name: SEER_Brain_and_CNS_Recode

Research Plus Limited-Field: Yes

Field Description: For analyses of brain/CNS tumors according to major histological categories,

based on the 2016 World Health Organization Classification of Tumors of

the Central Nervous System (CNS). For more information, see https://seer.cancer.gov/seerstat/variables/seer/brain cns-recode/

ICCC SITE RECODE 3RD EDITION/IARC 2017

NAACCR Item #: N/A

SAS Variable Name: ICCCsiterecode3rdeditionIARC201

Research Plus Limited-Field: Yes

Field Description: A site/histology recode that is mainly used to analyze data on children. The

recode was applied to all cases no matter the age in order that age comparisons can be made with these groupings. Based on ICD-O-3. Note that cases diagnosed before 2001 were not coded under ICD-O-3 and were converted to ICD-O-3 and may not have the specificity of cases after 2000 that were coded directly under ICD-O-3. For more information on this International Classification of Childhood Cancer (ICCC) site recode, see

https://seer.cancer.gov/iccc

SEER CAUSE-SPECIFIC DEATH CLASSIFICATION

NAACCR Item #: N/A

SAS Variable Name: SEERcausespecificdeathclassific Research Plus Limited-Field: No (Available for NY and TX)

Field Description: Created for use in cause-specific survival. This variable designates that the

person died of their cancer for cause-specific survival. For more

information, see http://seer.cancer.gov/causespecific.

Code	Description
0	Alive or dead of other cause
1	Dead
8	Dead (missing/unknown COD)
9	N/A

SEER OTHER CAUSE OF DEATH CLASSIFICATION

NAACCR Item #: N/A

SAS Variable Name: SEERothercauseofdeathclassifica Research Plus Limited-Field: No (Available for TX and NY)

Field Description: Created for use in left-truncated life table session. This variable designates

that the person died of causes other than their cancer. For more information,

see http://seer.cancer.gov/causespecific.

Code	Description
0	Alive or dead due to cancer
1	Dead
8	Dead (missing/unknown COD)
9	N/A

CS TUMOR SIZE/EXT EVAL (2004-2015)

NAACCR Item #: 2820

SAS Variable Name: CSTumor Size Ext Eval 2004 2015

Research Plus Limited-Field: No

Field Description: Available for 2004-2015, but not required for the entire timeframe. Will be

blank in cases not collected. For more information, see http://seer.cancer.gov/seerstat/variables/seer/ajcc-stage.

CS REG NODE EVAL (2004-2015)

NAACCR Item #: 2840

SAS Variable Name: CS_Reg_Node_Eval_2004_2015

Research Plus Limited-Field: No

Field Description: Available for 2004-2015, but not required for the entire timeframe. Will be

blank in cases not collected. For more information, see http://seer.cancer.gov/seerstat/variables/seer/ajcc-stage.

CS METS EVAL (2004-2015)

NAACCR Item #: 2860

SAS Variable Name: CS Mets Eval 2004 2015

Research Plus Limited-Field: No

Field Description: Available for 2004-2015,, but not required for the entire timeframe. Will be

blank in cases not collected. For more information, see http://seer.cancer.gov/seerstat/variables/seer/ajcc-stage.

PRIMARY BY INTERNATIONAL RULES

NAACCR Item #: N/A

SAS Variable Name: Primary by international rules

Research Plus Limited-Field: Yes

Field Description: Created using IARC multiple primary rules. Did not include benign tumors

or non-bladder in situ tumors in algorithm. No tumor information was

modified on any records.

Code	Description
0	No
1	Yes
9	Excluded from IARC multiple primary algorithm due to behavior

ER STATUS RECODE BREAST CANCER (1990+)

NAACCR Item #: N/A

SAS Variable Name: ERStatusRecodeBreastCancer 1990

Research Plus Limited-Field: No

Field Description: Created with combined information from Tumor marker 1 (1990-2003)

(NAACCR Item #1150), with information from CS site-specific factor 1 (2004-2017) (NAACCR Item #2880) and Estrogen Receptor Summary (2018+) (NAACCR Item #3827). Coded for cases coded as Breast in TNM 7/CS v0204+ Schema AND EOD Schema Id AND Site recode ICD-O-

3/WHO 2008.

Code	Description
1	Positive
2	Negative
3	Borderline
4	Unknown
9	Recode Not Available

PR STATUS RECODE BREAST CANCER (1990+)

NAACCR Item #: N/A

SAS Variable Name: PRStatusRecodeBreastCancer 1990

Research Plus Limited-Field: No

Field Description: Created with combined information from Tumor marker 2 (1990-2003)

(NAACCR Item #1160), with information from CS site-specific factor 2 (2004-2017) (NAACCR Item #2890) and Progesterone Receptor Summary (2018+) (NAACCR Item #3915). Coded for cases coded as Breast in TNM 7/CS v0204+ Schema AND EOD Schema Id AND Site recode ICD-O-

3/WHO 2008.

Code	Description
1	Positive
2	Negative
3	Borderline
4	Unknown
9	Recode Not Available

CS SCHEMA—AJCC 6TH EDITION

NAACCR Item #: N/A

SAS Variable Name: CS_Schema_AJCC_6th_Edition

Research Plus Limited-Field: No

Field Description: CS information is collected under the specifications of a particular schema

based on site and histology. This recode should be used in any analysis of AJCC 6th ed stage and T, N, M. Based on CS version 1, it should not be

used for SSFs collected or modified under CS v02.

Code	Description
01	LipUpper
02	LipLower
03	OthLip
04	BaseTongue
05	AntTongue
06	GumUpper
07	GumLower
08	OthGum
09	FOM
10	HardPalate
11	SoftPalate
12	OthMouth
13	BuccalMucosa
14	ParotidGland

(Continued from CS SCHEMA—AJCC 6TH EDITION)

Code	Description
15	SubmandibularGland
16	OthSalivary
17	Oropharynx
18	AntEpiglottis
19	Nasopharynx
20	Hypopharynx
21	OthPharynx
22	Esophagus
23	Stomach
24	SmallIntestine
25	Colon
26	Rectum
27	Anus
28	Liver
29	Gallbladder
30	ExtraHepaticDucts
31	Ampulla
32	OthBiliary
33	PancreasHead
34	PancreasBodyTail
35	OthPancreas
36	OthDigestive
37	NasalCavity
38	MiddleEar
39	MaxillarySinus
40	EthmoidSinus
41	OthSinus
42	GlotticLarynx
43	SupraLarynx
44	SubLarynx
45	OthLarynx
46	Trachea
47	Lung HeartMediastinum
48	
49 50	Pleura OthRespiratory
50 51	•
J1	Bone

(Continued from CS SCHEMA—AJCC 6TH EDITION)

Code	Description
52	Skin
53	SkinEyelid
54	Melanoma
55	MF
56	SoftTissue
57	Peritoneum
58	Breast
59	Vulva
60	Vagina
61	Cervix
62	Corpus
63	Ovary
64	FallopianTube
65	OthAdnexa
66	OthFemaleGen
67	Placenta
68	Penis
69	Prostate
70	Testis
71	OthMaleGen
72	Scrotum
73	Kidney
74	RenalPelvis
75	Bladder
76	Urethra
77	OthUrinary
78	Conjunctiva
79	MelanomaConjunctiva
80	OthEye
81	MelanomaIrisCiliary
82	MelanomaChoroid
83	MelanomaOthEye
84	LacrimalGland
85	Orbit
86	Retinoblastoma
87	Brain
88	OthCNS
89	Thyroid
90	OthEndocrine
91	KS
92	Lymphoma
93	HemeRetic
94	OthIllDef

LYMPH-VASCULAR INVASION (2004+ VARYING BY SCHEMA)

NAACCR Item #: 1182

SAS Variable Name: LymphvascularInvasion2004varyin

Research Plus Limited-Field: No

Field Description: LVI is required for cases originally coded under CSv2 or diagnosed 2010+

for the schemas for penis and testis only. On the research file LVI is shown only for testis because it is needed for AJCC 6th ed staging. For penis, LVI is needed for AJCC 7th ed staging only which isn't calculated until 2010.

Code	Description
0	Lymph-vascular Invasion Not Present (absent)/Not Identified
1	Lymph-vascular Invasion Present/Identified
8	Not Applicable
9	Unknown/Indeterminate
14	Blank

SURVIVAL MONTHS

NAACCR Item #: N/A

SAS Variable Name: Survival months

Research Plus Limited-Field: No (Available for NY and TX)

Field Description: Created using complete dates, including days, therefore may differ from

survival time calculated from year and month only. For more information, see http://seer.cancer.gov/survivaltime. (Date of death per Medicare is

available for all persons included in the linkage)

Code	Description
000-9998	000-9998 months
9999	Unknown

SURVIVAL MONTHS FLAG

NAACCR Item #: N/A

SAS Variable Name: Survival_months_flag

Research Plus Limited-Field: No (Available for NY and TX)

Field Description: Created using complete dates, including days, therefore may differ from

survival time calculated from year and month only. For more information, see http://seer.cancer.gov/survivaltime. (Date of death per Medicare is

available for all persons included in the linkage)

Code	Description
0	Complete dates are available and there are 0 days of survival
1	Complete dates are available and there are more than 0 days of survival
2	Incomplete dates are available and there could be zero days of follow-up
3	Incomplete dates are available and there cannot be zero days of follow-up
8	Not calculated because a Death Certificate Only or Autopsy Only case
9	Unknown

DERIVED AJCC T, 7TH ED (2010-2015)

NAACCR Item #: 3400

SAS Variable Name: Derived_AJCC_T_7th_ed_2010_2015

Research Plus Limited-Field: No

Field Description: This is the AJCC "T" component that is derived from CS coded fields, using the CS algorithm, effective with 2010-2015 diagnosis years. See the CS site-

specific schema for details:

(http://seer.cancer.gov/seerstat/variables/seer/ajcc-stage).

	\
Code	Description
999	TX
000	T0
010	Ta
050	Tis
060	Tispu (Urethra only)
070	Tispd (Urethra only)
100	T1
110	T1mic
199	T1 NOS
120	Tla
130	Tlal
140	T1a2
150	T1b
160	T1b1
170	T1b2
180	T1c
181	T1d
200	T2
299	T2 NOS
210	T2a
211	T2a1
212	T2a2
213	T2a NOS
220	T2b
230	T2c
240	T2d
300	T3
399	T3 NOS
310	T3a
320	T3b
330	T3c
400	T4
499	T4 NOS

(Continued from DERIVED AJCC T, 7TH ED (2010-2015))

Code	Description
410	T4a
420	T4b
430	T4c
440	T4d
450	T4e
800	T1a NOS
810	T1b NOS
888	Not applicable
1022	Blank

DERIVED AJCC N, 7TH ED (2010-2015)

NAACCR Item #: 3410

SAS Variable Name: Derived_AJCC_N_7th_ed_2010_2015

Research Plus Limited-Field: No

Field Description: This is the AJCC "N" component that is derived from CS coded fields, using

the CS algorithm, effective with 2010-2015 diagnosis years. See the CS site-

specific schema for details:

(http://seer.cancer.gov/seerstat/variables/seer/ajcc-stage).

Code	Description
999	NX
000	N0
010	N0(i-)
020	N0(i+)
030	N0(mol-)
040	N0(mol+)
100	N1
199	N1 NOS
110	N1a
120	N1b
130	N1c
180	N1mi
200	N2
299	N2 NOS
210	N2a
220	N2b
230	N2c
300	N3

(Continued from DERIVED AJCC N, 7TH ED (2010-2015))

Code	Description
399	N3 NOS
310	N3a
320	N3b
330	N3c
400	N4
888	Not applicable
1022	Blank

DERIVED AJCC M, 7TH ED (2010-2015)

NAACCR Item #: 3420

SAS Variable Name: Derived_AJCC_M_7th_ed_2010_2015

Research Plus Limited-Field: No

Field Description: This is the AJCC "M" component that is derived from CS coded fields, using

the CS algorithm, effective with 2010-2015 diagnosis years. See the CS site-

specific schema for details:

(http://seer.cancer.gov/seerstat/variables/seer/ajcc-stage).

Code	Description
999	MX
000	M0
010	M0(i+)
100	M1
110	M1a
120	M1b
130	M1c
140	M1d
150	M1e
199	M1 NOS
888	Not applicable
1022	Blank

DERIVED AJCC STAGE GROUP, 7TH ED (2010-2015)

NAACCR Item #: 3430

SAS Variable Name: DerivedAJCCStageGroup7thed20102

Research Plus Limited-Field: No

Field Description: This is the AJCC "Stage Group" component that is derived from CS coded

fields, using the CS algorithm, effective with 2010-2015 diagnosis years.

See the CS site-specific schema for details:

(http://seer.cancer.gov/seerstat/variables/seer/ajcc-stage).

Code	Description
000	Stage 0
010	Stage 0a
020	Stage 0is
100	Stage I
110	Stage I NOS
120	Stage IA
130	Stage IA1
140	Stage IA2
121	Stage IA NOS
150	Stage IB
160	Stage IB1
170	Stage IB2
151	Stage IB NOS
180	Stage IC
190	Stage IS
230	Stage ISA (lymphoma only)
240	Stage ISB (lymphoma only)
200	Stage IEA (lymphoma only)
210	Stage IEB (lymphoma only)
220	Stage IE (lymphoma only)
300	Stage II
310	Stage II NOS
320	Stage IIA
321	Stage IIA NOS
322	Stage IIA1
323	Stage IIA NOS
330	Stage IIB
340	Stage IIC
350	Stage IIEA (lymphoma only)
360	Stage IIEB (lymphoma only)

(Continued from DERIVED AJCC STAGE GROUP, 7TH ED (2010-2015)

Code	Description
370	Stage IIE (lymphoma only)
380	Stage IISA (lymphoma only)
390	Stage IISB (lymphoma only)
400	Stage IIS (lymphoma only)
410	Stage IIESA (lymphoma only)
420	Stage IIESB (lymphoma only)
430	Stage IIES (lymphoma only)
500	Stage III
510	Stage III NOS
520	Stage IIIA
530	Stage IIIB
540	Stage IIIC
541	Stage IIIC1
542	Stage IIIC2
550	Stage IIIEA (lymphoma only)
560	Stage IIIEB (lymphoma only)
570	Stage IIIE (lymphoma only)
580	Stage IIISA (lymphoma only)
590	Stage IIISB (lymphoma only)
600	Stage IIIS (lymphoma only)
610	Stage IIIESA (lymphoma only)
620	Stage IIIESB (lymphoma only)
630	Stage IIIES (lymphoma only)
700	Stage IV
710	Stage IV NOS
720	Stage IVA
730	Stage IVB
740	Stage IVC
888	Not applicable
900	Stage Occult
999	Stage Unknown
1022	Blank

BREAST—ADJUSTED AJCC 6TH T (1988-2015)

NAACCR Item #: N/A

SAS Variable Name: BreastAdjustedAJCC6thT1988_2015

Research Plus Limited-Field: No

Field Description: Created from merged EOD 3rd Edition and Collaborative Stage disease

information. Currently only available for Breast schema. For more

information see http://seer.cancer.gov/seerstat/variables/seer/ajcc-stage/6th.

Code	Description
00	Т0
01	Та
05	Tis
06	Tispu
07	Tispd
10	T1
11	T1mic
12	Tla
13	T1a1
14	T1a2
15	T1b
16	T1b1
17	T1b2
18	Tlc
19	TINOS
20	T2
21	T2a
22	T2b
23	T2c
29	T2NOS
30	T3
31	T3a
32	T3b
33	T3c
39	T3NOS
40	T4
41	T4a
42	T4b
43	T4c
44	T4d
49	T4NOS
60	Any T, Mets
80	T1aNOS
(Continu	und on novt nago)

(Continued from BREAST—ADJUSTED AJCC 6TH T (1988-2015)

Code	Description
81	T1bNOS
88	N/A
99	TX Adjusted
126	Blank

BREAST—ADJUSTED AJCC 6TH N (1988-2015)

NAACCR Item #: N/A

SAS Variable Name: BreastAdjustedAJCC6thN1988_2015

Research Plus Limited-Field: No

Field Description: Created from merged EOD 3rd Edition and Collaborative Stage disease

information. Currently only available for Breast schema. For more

information see http://seer.cancer.gov/seerstat/variables/seer/ajcc-stage/6th.

Code	Description
00	N0
01	N0(i-)
02	N0(i+)
03	N0(mo1-)
04	N0(mo1+)
09	N0NOS
10	N1
11	N1a
12	N1b
13	N1c
18	N1mi
19	N1NOS
20	N2
21	N2a
22	N2b
23	N2c
29	N2NOS
30	N3
31	N3a
(0 1:	1 ,

(Continued from BREAST—ADJUSTED AJCC 6TH N (1988-2015))

Code	Description
32	N3b
33	N3c
39	N3NOS
60	Any N, Mets
70	NXr
80	NXa
88	N/A
99	NX Adjusted
126	Blank

BREAST—ADJUSTED AJCC 6TH M (1988-2015)

NAACCR Item #: N/A

SAS Variable Name: BreastAdjustedAJCC6thM1988_2015

Research Plus Limited-Field: No

Field Description: Created from merged EOD 3rd Edition and Collaborative Stage disease

information. Currently only available for Breast schema. For more

information see http://seer.cancer.gov/seerstat/variables/seer/ajcc-stage/6th.

Code	Description
00	M0
10	M1
11	M1a
12	M1b
13	M1c
19	M1NOS
88	N/A
99	MX
126	Blank

BREAST—ADJUSTED AJCC 6TH STAGE (1988-2015)

NAACCR Item #: N/A

SAS Variable Name: BreastAdjustedAJCC6thStage19882

Research Plus Limited-Field: No

Field Description: Created from merged EOD 3rd Edition and Collaborative Stage disease

information. Currently only available for Breast schema. For more

information see http://seer.cancer.gov/seerstat/variables/seer/ajcc-stage/6th.

<u> </u>	D ' 4'
Code	Description
00	0
01	0a
02	0is
10	I
11	INOS
12	IA
13	IA1
14	IA2
15	IB
16	IB1
17	IB2
18	IC
19	IS
20	IEA
21	IEB
22	IE
23	ISA
24	ISB
30	II
31	IINOS
32	IIA
33	IIB
34	IIC
35	IIEA
36	IIEB
37	IIE
38	IISA
39	IISB
40	IIS
41	IIESA

(Continued from BREAST—ADJUSTED AJCC 6TH STAGE (1988-2015))

Code	Description
43	IIES
50	III
51	IIINOS
52	IIIA
53	IIIB
54	IIIC
55	IIIEA
56	IIIEA
57	IIIEB
58	IIISA
59	IIISB
60	IIIS
61	IIIESA
62	IIIESA
63	IIIESB
70	IV
71	IVNOS
72 72	IVA
73	IVB
74	IVC
88	N/A
90	OCCULT
99	UNK Stage
126	Blank

DERIVED HER2 RECODE (2010+)

NAACCR Item #: N/A

SAS Variable Name: Derived_HER2_Recode_2010

Research Plus Limited-Field: No

Field Description: Created with combined information from several CS site-specific factors

(2010-2017) and HER2 Overall Summary (2018+) (NAACCR Item #=3855). For more information, see https://seer.cancer.gov/seerstat/databases/ssf/her2-

derived.html. Coded for cases coded as Breast in TNM 7/CS v0204+

Schema AND EOD Schema Id.

Code	Description
1	Positive
2	Negative
3	Borderline
4	Unknown
9	Recode Not Available

BREAST SUBTYPE (2010+)

NAACCR Item #: N/A

SAS Variable Name: Breast_Subtype_2010

Research Plus Limited-Field: Yes

Field Description: Created with combined information from ER Status Recode Breast Cancer

(1990+), PR Status Recode Breast Cancer (1990+), and Derived HER2

Recode (2010+). For more information, see

https://seer.cancer.gov/seerstat/databases/ssf/breast-subtype.html. Coded for cases coded as Breast in TNM 7/CS v0204+ Schema AND EOD Schema Id.

Code	Description
1	Her2+/HR+
2	Her2+/HR-
3	Her2-/HR+
4	Triple Negative
5	Unknown
9	Recode Not Available

LYMPHOMAS: ANN ARBOR STAGING (1983-2015)

NAACCR Item #: N/A

SAS Variable Name: LymphomaAnnArborStage_1983_2015

Research Plus Limited-Field: No

Field Description: For information on how this field is created, visit

http://seer.cancer.gov/seerstat/variables/seer/ajcc-stage/ann-arbor/

SEER COMBINED METS AT DX-BONE (2010+)

NAACCR Item #: N/A

SAS Variable Name: SEERCombinedMetsat_DX_bone_2010

Research Plus Limited-Field: No

Field Description: Created from NAACR Item #2851 (2010-2015) and #1112 (2016+).

Code	Description
0	None; no bone metastases
1	Yes
8	Not applicable Unknown; not documented in patient record
9	Unknown; not documented in patient record
14	Blank

SEER COMBINED METS AT DX-BRAIN (2010+)

NAACCR Item #: N/A

SAS Variable Name: SEERCombinedMetsatDX brain 2010

Research Plus Limited-Field: No

Field Description: Created from NAACR Item #2852 (2010-2015) and #1113 (2016+).

Code	Description
0	None; no brain metastases
1	Yes
8	Yes Not applicable
9	Unknown; not documented in patient record
14	Blank

SEER COMBINED METS AT DX-LIVER (2010+)

NAACCR Item #: N/A

SAS Variable Name: SEERCombinedMetsatDX liver 2010

Research Plus Limited-Field: No

Field Description: Created from NAACR Item #2853 (2010-2015) and #1115 (2016+).

Code	Description
0	None; no liver metastases
1	Yes
8	Not applicable
9	Unknown; not documented in patient record
14	Blank

SEER COMBINED METS AT DX-LUNG (2010+)

NAACCR Item #: N/A

SAS Variable Name: SEERCombinedMetsat DX lung 2010

Research Plus Limited-Field: No

Field Description: Created from NAACR Item #2854 (2010-2015) and #1116 (2016+).

Code	Description
0	None; no lung metastases
1	Yes
8	Not applicable
9	Unknown; not documented in patient record
14	Blank

T VALUE - BASED ON AJCC 3rd (1988-2003)

NAACCR Item #: N/A

SAS Variable Name: TvaluebasedonAJCC 3rd 1988 2003

Research Plus Limited-Field: No

Field Description: Derived by algorithm from extent of disease (EOD). Not available for all

years or for all sites.

For codes and descriptions, see:

http://seer.cancer.gov/seerstat/variables/seer/ajcc-stage/3rd.html

N VALUE - BASED ON AJCC 3rd (1988-2003)

NAACCR Item #: N/A

SAS Variable Name: NvaluebasedonAJCC 3rd 1988 2003

Research Plus Limited-Field: No

Field Description: Derived by algorithm from extent of disease (EOD). Not available for all

years or for all sites.

For codes and descriptions, see:

http://seer.cancer.gov/seerstat/variables/seer/ajcc-stage/3rd.html

M VALUE - BASED ON AJCC 3rd (1988-2003)

NAACCR Item #: N/A

SAS Variable Name: MvaluebasedonAJCC_3rd_1988_2003

Research Plus Limited-Field: No

Field Description: Derived by algorithm from extent of disease (EOD). Not available for all

years or for all sites.

For codes and descriptions, see:

http://seer.cancer.gov/seerstat/variables/seer/ajcc-stage/3rd.html

TOTAL NUMBER OF IN SITU/MALIGNANT TUMORS FOR PATIENT

NAACCR Item #: N/A

SAS Variable Name: Totalnumberofinsitumalignanttum

Research Plus Limited-Field: No

Field Description: Count of a patient's total reported in situ/malignant cancers, based on

maximum sequence number of any in situ/malignant tumors in SEER

through the last released year of diagnosis. This value is the same across all

tumors for a person.

Valid values: 00-98; 99 (unknown)

TOTAL NUMBER OF BENIGN/BORDERLINE TUMORS FOR PATIENT

NAACCR Item #: N/A

SAS Variable Name: Totalnumberofbenignborderlinetu

Research Plus Limited-Field: No

Field Description: Count of a patient's total reported benign/borderline cancers, based on

maximum sequence number of any benign/borderline tumors in SEER through the last released year of diagnosis. This value is the same across all

tumors for a person.

Valid values: 00-98; 99 (unknown)

RADIATION TO BRAIN OR CNS RECODE (1988-1997)

NAACCR Item #: N/A

SAS Variable Name: RadiationtoBrainorCNSRecode1988

Research Plus Limited-Field: No

Field Description: This variable was only collected for years 1988-1997 for lung and leukemia

cases only. It codes for radiation given to the brain or central nervous system

at all facilities as part of the first course of therapy, and is a recode of

NAACCR Item #1370. This field is blank for cases diagnosed prior to 1988

and after 1997.

Code	Description
0	None/Unknown
1	Radiation
7	Refused
8	Recommended, unknown if administered

TUMOR SIZE SUMMARY (2016+)

NAACCR Item #: 756

SAS Variable Name: Tumor_Size_Summary_2016

Research Plus Limited-Field: No

Field Description: The most accurate measurement of a solid primary tumor, usually measured

on the surgical resection specimen.

Code	Description
000	No mass/tumor found
001	1 mm or described as less than 1 mm (0.1 cm or less than 0.1 cm)
002-988	Exact size in millimeters (2mm-988mm) (0.2 cm to 98.8 cm)
989	989 millimeters or larger (98.9 cm or larger)
990	Microscopic focus or foci only and no size of focus is given
998	Alternate descriptions of tumor size for specific sites
999	Unknown; size not stated; Not documented in patient record; Size of tumor cannot be assessed; No excisional biopsy or tumor resection done; The only measurement(s) describes pieces or chips; Not applicable
1022	Blank

DERIVED SEER CMB STG GRP (2016-2017)

NAACCR Item #: 3614

SAS Variable Name: DerivedSEERCmbStg_Grp_2016_2017

Research Plus Limited-Field: No

Field Description: The results of the derived algorithmic calculation of Derived SEER

Combined Stage Group.

DERIVED SEER COMBINED T (2016-2017)

NAACCR Item #: 3616

SAS Variable Name: DerivedSEERCombined T 2016 2017

Research Plus Limited-Field: No

Field Description: The results of the derived algorithmic calculation of Derived SEER

Combined T.

DERIVED SEER COMBINED N (2016-2017)

NAACCR Item #: 3618

SAS Variable Name: DerivedSEERCombined N 2016 2017

Research Plus Limited-Field: No

Field Description: The results of the derived algorithmic calculation of Derived SEER

Combined N.

DERIVED SEER COMBINED M (2016-2017)

NAACCR Item #: 3620

SAS Variable Name: DerivedSEERCombined_M_2016_2017

Research Plus Limited-Field: No

Field Description: The results of the derived algorithmic calculation of Derived SEER

Combined M.

DERIVED SEER COMBINED T SRC (2016-2017)

NAACCR Item #: 3622

SAS Variable Name: DerivedSEERCombinedTSrc20162017

Research Plus Limited-Field: No

Field Description: The source information selected for the derived algorithmic calculation of

Derived SEER Combined T #3616.

Code	Description
1	Clinical
2	Pathologic
3	Clinical and pathologic information used
9	Unknown
14	Blank

DERIVED SEER COMBINED N SRC (2016-2017)

NAACCR Item #: 3624

SAS Variable Name: DerivedSEERCombinedNSrc20162017

Research Plus Limited-Field: No

Field Description: The source information selected for the derived algorithmic calculation of

Derived SEER Combined N #3618.

Code	Description
1	Clinical
2	Pathologic
3	Clinical and pathologic information used
9	Unknown
14	Blank

DERIVED SEER COMBINED M SRC (2016-2017)

NAACCR Item #: 3626

SAS Variable Name: DerivedSEERCombinedMSrc20162017

Research Plus Limited-Field: No

Field Description: The source information selected for the derived algorithmic calculation of

Derived SEER Combined M #3620.

Code	Description
1	Clinical
	Pathologic
3	Clinical and pathologic information used
9	Unknown
14	Blank

TNM EDITION NUMBER (2016-2017)

NAACCR Item #: 1060

SAS Variable Name: TNM_Edition_Number_2016_2017

Research Plus Limited-Field: No

Field Description: The edition of the AJCC manual used to stage the case. This applies to the

manually coded AJCC fields. It does not apply to the Derived AJCC T, N, M

and AJCC Stage Group fields [2940, 2960, 2980, and 3000].

SEER used UICC 7th edition as well as AJCC 7th edition rules. UICC 7th edition and AJCC 7th edition TNM categories and stage groups are very

similar.

Code	Description
07	Seventh Edition (published 2009), recommended
07	for use with cases diagnosed 2010-2017
U7	Seventh Edition with UICC modifications
88	Not applicable (cases that do not have an AJCC
00	staging scheme)
14	Blank

METS AT DX—DISTANT LN (2016+)

NAACCR Item #: 1114

SAS Variable Name: Mets_at_DX_Distant_LN_2016

Research Plus Limited-Field: No

Field Description: Identifies whether distant lymph node(s) are an involved metastatic site.

Code	Description
0	None; no distant lymph node metastases
1	Yes; distant lymph node metastases
8	Not applicable
9	Unknown whether distant lymph node(s) are involved metastatic site. Not documented in patient record.
14	Blank

METS AT DX—OTHER (2016+)

NAACCR Item #: 1117

SAS Variable Name: Mets_at_DX_Other_2016

Research Plus Limited-Field: No

Field Description: Identifies any type of distant involvement not captured in the Mets at Dx-

Bone [1112], Mets at Dx-Brain [1113], Mets at Dx-Liver [1115], Mets at Dx-

Lung [1116], and Mets at Dx-Distant LN [1114] fields. It includes

involvement of other specific sites and more generalized metastases such as carcinomatosis. Some examples include but are not limited to the adrenal gland, bone marrow, pleura, malignant pleural effusion, peritoneum, and

skin.

Code	Description
0	None; no other metastases
1	Yes; distant metastases in known site(s) other than bone, brain, liver, lung or distant lymph nodes (Note: includes bone marrow involvement for lymphomas)
2	Generalized metastases such as carcinomatosis
8	Not applicable
9	Unknown whether any other metastatic site or generalized metastases. Not documented in patient record.
14	Blank

AJCC ID (2018+)

NAACCR Item #: 995

SAS Variable Name: AJCC_ID_2018 Research Plus Limited-Field: Yes

Field Description: Based on the chapters of the AJCC manual and will be derived primarily

from the site/histology fields and other data items as required. IDs are assigned to cases for which AJCC staging is applicable. When staging is not

applicable, code 'XX' is used.

EOD SCHEMA ID RECODE (2010+)

NAACCR Item #: N/A

SAS Variable Name: EOD Schema ID Recode 2010

Research Plus Limited-Field: Yes

Field Description: Allows the identification of categories consistent with Schema ID to include

cases 2010+. This variable will facilitate the analyses of the 2010+ SSDI

recodes, which require consistent cohorts over time.

DERIVED EOD 2018 T (2018+)

NAACCR Item #: 785

SAS Variable Name: Derived_EOD_2018_T_2018

Research Plus Limited-Field: No

Field Description: See the most current version of EOD (https://staging.seer.cancer.gov/) for

rules and site-specific codes and coding structures.

DERIVED EOD 2018 N (2018+)

NAACCR Item #: 815

SAS Variable Name: Derived EOD 2018 N 2018

Research Plus Limited-Field: No

Field Description: See the most current version of EOD (https://staging.seer.cancer.gov/) for

rules and site-specific codes and coding structures.

DERIVED EOD 2018 M (2018+)

NAACCR Item #: 795

SAS Variable Name: Derived EOD 2018 M 2018

Research Plus Limited-Field: No

Field Description: See the most current version of EOD (https://staging.seer.cancer.gov/) for

rules and site-specific codes and coding structures.

DERIVED EOD 2018 STAGE GROUP (2018+)

NAACCR Item #: 818

SAS Variable Name: DerivedEOD2018 Stage Group 2018

Research Plus Limited-Field: No

Field Description: See the most current version of EOD (https://staging.seer.cancer.gov/) for

rules and site-specific codes and coding structures.

EOD PRIMARY TUMOR (2018+)

NAACCR Item #: 772

SAS Variable Name: EOD Primary Tumor 2018

Research Plus Limited-Field: No

Field Description: See the most current version of EOD (https://staging.seer.cancer.gov/) for

rules and site-specific codes and coding structures.

EOD REGIONAL NODES (2018+)

NAACCR Item #: 774

SAS Variable Name: EOD_Regional_Nodes_2018

Research Plus Limited-Field: No

Field Description: See the most current version of EOD (https://staging.seer.cancer.gov/) for

rules and site-specific codes and coding structures.

EOD METS (2018+)

NAACCR Item #: 776

SAS Variable Name: EOD_Mets_2018 Research Plus Limited-Field: No

Field Description: See the most current version of EOD (https://staging.seer.cancer.gov/) for

rules and site-specific codes and coding structures.

MONTHS FROM DIAGNOSIS TO TREATMENT

NAACCR Item #: N/A

SAS Variable Name: Monthsfromdiagnosisto_treatment

Research Plus Limited-Field: No

Field Description: Value = ((Year initial treatment started * 12) + Month initial treatment

started) - ((Year of DX * 12) + Month of DX);

Blank if any date component unknown or calculated value > 24

CENSUS TRACT 1970/1980/1990

NAACCR Item #: 110

SAS Variable Name: Census Tract 1990

Research Plus Limited-Field: Yes

Field Description: Identifies the patient's census tract of residence at the time the tumor was

diagnosed. Census Tract 70/80/90 is a derived (geocoded) variable based on the Census Boundary files from 1970, 1980, 1990 Decennial Census. See Census Tract 2000 [130]; Census Tract 2010 [135]; Census Tract 2020 [125]. Codes are those used by the U.S. Census Bureau for the Year 1970, 1980 or 1990 Census. Refer to Census Cod Sys 1970/80/90 [120] to ascertain the decade of reference. For consolidated records, the geocoded state should be

based on the best address at diagnosis information identified.

CENSUS TRACT 2000

NAACCR Item #: 130

SAS Variable Name: Census_Tract_2000

Research Plus Limited-Field: Yes

Field Description: Identifies the patient's census tract of residence at the time the tumor was

diagnosed. Census Tract 2000 is a derived (geocoded) variable based on the Census Boundary files from 2000. See Census Tract 70/80/90 [110]; Census Tract 2010 [135]; Census Tract 2020 [125]. Codes are those used by the U.S. Census Bureau for the Year 2000 Census. For consolidated records, the geocoded state should be based on the best address at diagnosis information

identified.

CENSUS TRACT 2010

NAACCR Item #: 135

SAS Variable Name: Census Tract 2010

Research Plus Limited-Field: Yes

Field Description: Identifies the patient's census tract of residence at the time the tumor was

diagnosed. Census Tract 2010 is a derived (geocoded) variables based on the Census Boundary files from 2010. See Census Tract 1970/80/90 [110]; Census Tract 2000 [130]; Census Tract 2020 [125]. Codes are those used by the U.S. Census Bureau for the Year 2010 Census. For consolidated records,

the geocoded state should be based on the best address at diagnosis

information identified.

CODING SYSTEM FOR CENSUS TRACT 1970/80/90

NAACCR Item #: 120

SAS Variable Name: Census Coding System

Research Plus Limited-Field: Yes

Field Description: Identified the set of Census Bureau census tract definitions (boundaries) that

were used to code the census tract in Census Tract 1970/80/90 [110] for a

specific record.

CENSUS TRACT CERTAINTY 1970/80/90

NAACCR Item #: 364

SAS Variable Name: Census Tract Certainty 1990

Research Plus Limited-Field: Yes

Field Description: Code indicating basis of assignment of census tract or block numbering area

(BNA) for an individual record. Helpful in identifying cases tracted from incomplete information or P.O. Box. This item is not coded by the hospital.

Central registry staff manually assign the code.

(continued from CENSUS TRACT CERTAINTY 1970/80/90))

Code	Description
1	Census tract/BNA based on complete and valid street address of residence
2	Census tract/BNA based on residence ZIP + 4
3	Census tract/BNA based on residence ZIP + 2
4	Census tract/BNA based on residence ZIP code only
5	Census tract/BNA based on ZIP code of P.O. Box
6	Census tract/BNA based on residence city where city has only one census tract, or based on residence ZIP code where ZIP code has only one census tract
9	Not assigned, geocoding attempted
Blank	Not assigned, geocoding not attempted

CENSUS TRACT CERTAINTY 2000

NAACCR Item #: 365

SAS Variable Name: Census_Tract_Certainty_2000

Research Plus Limited-Field: Yes

Field Description: Code indicating basis of assignment of census tract for an individual record.

Helpful in identifying cases tracted from incomplete information or P.O. Box. This item is not coded by the hospital. Central registry staff assign the

code.

Code	Description
1	Census tract/BNA based on complete and valid street address of residence
2	Census tract based on residence ZIP + 4
3	Census tract based on residence ZIP + 2
4	Census tract based on residence ZIP code only
5	Census tract based on ZIP code of P.O. Box
6	Census tract/BNA based on residence city where city has only one census tract, or based on residence ZIP code where ZIP code has only one census tract
9	Not assigned, geocoding attempted
Blank	Not assigned, geocoding not attempted

CENSUS TRACT CERTAINTY 2010

NAACCR Item #: 367

SAS Variable Name: Census_Tract_Certainty_2010

Research Plus Limited-Field: Yes

Field Description: Code indicating basis of assignment of census tract for an individual record.

Helpful in identifying cases tracted from incomplete information or P.O.

(continued from CENSUS TRACT CERTAINTY 2010)

Box. This item is not coded by the hospital. Central registry staff assign the code.

Code	Description
1	Census tract/BNA based on complete and valid street address of residence
2	Census tract based on residence ZIP + 4
3	Census tract based on residence ZIP + 2
4	Census tract based on residence ZIP code only
5	Census tract based on ZIP code of P.O. Box
6	Census tract/BNA based on residence city where city has only one census tract, or based on residence ZIP code where ZIP code has only one census tract
9	Not assigned, geocoding attempted
Blank	Not assigned, geocoding not attempted

RURAL URBAN CONTINUUM 1993

NAACCR Item #: 3300

SAS Variable Name: Rural_Urban_Continuum_Code_1993

Research Plus Limited-Field: Yes

Field Description: The Rural-Urban Continuum (1993) codes (usually known as the Beale Codes) separate counties into four metropolitan and six non-metropolitan categories, based on the size their populations and form a classification scheme that distinguishes metropolitan counties by size and nonmetropolitan counties by degree of urbanization and proximity to metro areas.

> These codes can be derived electronically, using patients' state and county at diagnosis, so registrars do not need to provide them. FIPS state and county code mappings to Beale Codes can be obtained in an Excel file at http://www.ers.usda.gov/data-products/rural-urban-continuum-codes.aspx

Metropolitan Counties (00-03)

Code	Description
00	Central counties of metropolitan areas of 1 million population or more
01	Fringe counties of metropolitan areas of 1 million population or more
02	Counties in metropolitan areas of 250,000-1,000,000 population
03	Counties in metropolitan areas of less than 250,000 population

Nonmetropolitan Counties (04-09)

Code	Description
04	Urban population of 20,000 or more, adjacent to a metropolitan area
05	Urban population of 20,000 or more, not adjacent to a metropolitan area
06	Urban population of 2,500-19,999, adjacent to a metropolitan area
07	Urban population of 2,500-19,999, not adjacent to a metropolitan area
08	Completely rural (no places with a population of 2,500 or more) adjacent to a metropolitan area
09	Completely rural (no places with a population of 2,500 or more) not adjacent to a metropolitan area
98	Program run, but: (1) area is not included in Rural-Urban Continuum code table, or (2) record is for resident outside of state of reporting institution
99	Unknown
Blank	Program not run; record not coded

RURAL URBAN CONTINUUM 2003

NAACCR Item #: 3310

SAS Variable Name: Rural Urban Continuum Code 2003

Research Plus Limited-Field: Yes

Field Description: The Rural-Urban Continuum (2003) codes (usually known as the Beale Codes) separate counties into four metropolitan and six non-metropolitan categories, based on the size their populations and form a classification scheme that distinguishes metropolitan counties by size and nonmetropolitan counties by degree of urbanization and proximity to metro areas.

> These codes can be derived electronically, using patients' state and county at diagnosis, so registrars do not need to provide them. FIPS state and county code mappings to Beale Codes can be obtained in an Excel file at http://www.ers.usda.gov/data-products/rural-urban-continuum-codes.aspx

Metropolitan Counties (01-03)

Code	Description
01	Counties in metro areas of 1 million population or more
02	Counties in metro areas of 250,000 to 1 million population
03	Counties in metro areas of fewer than 250,000 population

Nonmetropolitan Counties (04-09)

Code	Description
04	Urban population of 20,000 or more, adjacent to a metro area
05	Urban population of 20,000 or more, not adjacent to a metro area
06	Urban population of 2,500 to 19,999, adjacent to a metro area
07	Urban population of 2,500 to 19,999, not adjacent to a metro area
08	Completely rural or less than 2,500 urban population, adjacent to a metro area
09	Completely rural or less than 2,500 urban population, not adjacent to a metro area
98	Program run, but: (1) area is not included in Rural-Urban Continuum code table, or (2) record is for resident outside of state of reporting institution
99	Unknown
Blank	Program not run; record not coded

RURAL URBAN CONTINUUM 2013

NAACCR Item #: 3312

SAS Variable Name: Rural Urban Continuum Code 2013

Research Plus Limited-Field: Yes

Field Description: The Rural-Urban Continuum (2013) codes (usually known as the Beale

Codes) separate counties into four metropolitan and six non-metropolitan categories, based on the size their populations and form a classification scheme that distinguishes metropolitan counties by size and non-metropolitan counties by degree of urbanization and proximity to metro

areas.

These codes can be derived electronically, using patients' state and county at diagnosis, so registrars do not need to provide them. FIPS state and county code mappings to Beale Codes can be obtained in an Excel file at http://www.ers.usda.gov/data-products/rural-urban-continuum-codes.aspx

Metropolitan Counties (01-03)

Code	Description
01	Counties in metro areas of 1 million population or more
02	Counties in metro areas of 250,000 to 1 million population
03	Counties in metro areas of fewer than 250,000 population

Nonmetropolitan Counties (04-09)

Code	Description
04	Urban population of 20,000 or more, adjacent to a metro area
05	Urban population of 20,000 or more, not adjacent to a metro area
06	Urban population of 2,500 to 19,999, adjacent to a metro area
07	Urban population of 2,500 to 19,999, not adjacent to a metro area
08	Completely rural or less than 2,500 urban population, adjacent to a metro area
09	Completely rural or less than 2,500 urban population, not adjacent to a metro area
98	Program run, but: (1) area is not included in Rural-Urban Continuum code table, or (2) record is for resident outside of state of reporting institution
99	Unknown
Blank	Program not run; record not coded

HEALTH SERVICE AREA

NAACCR Item #: N/A

SAS Variable Name: Health_Service_Area

Research Plus Limited-Field: Yes

Field Description: This variable was derived from the original Health Service Area definitions

and is described in more detail on this website:

https://seer.cancer.gov/seerstat/variables/countyattribs/hsa.html

HEALTH SERVICE AREA NCI MODIFIED

NAACCR Item #: N/A

SAS Variable Name: HealthService Area NCI Modified

Research Plus Limited-Field: Yes

Field Description: This variable was derived from the original Health Service Area definitions

and is described in more detail on this website:

https://seer.cancer.gov/seerstat/variables/countyattribs/hsa.html

COUNTY AT DX GEOCODE 1990

NAACCR Item #: 94

SAS Variable Name: County_at_DX_Geocode_1990

Research Plus Limited-Field: Yes

Field Description: County at Diagnosis 1990 Code for the county of the patient's residence at

the time the tumor was diagnosed is a derived (geocoded) variable based on Census Boundary files from 1990 Decennial Census. This code should be used for county and county-based (such as CHSDA) rates and analysis for all

cases diagnosed prior to 2000.

Code	Description
001-997	County at diagnosis. Valid FIPS code
998	Known town, city, state or country of residence but county code not known AND a resident outside of the state of reporting institution (must meet all criteria). Use this code for Canadian residents.
999	County unknown. The county of the patient is unknown, or the patient is not a United States resident. County is not documented in the patient's medical record.

COUNTY AT DX GEOCODE 2000

NAACCR Item #: 95

SAS Variable Name: County_at_DX_Geocode_2000

Research Plus Limited-Field: Yes

Field Description: Code for the county of the patient's residence at the time the tumor was

diagnosed is a derived (geocoded) variable based on Census Boundary files from 2000 Decennial Census. This code should be used for county and county-based (such as CHSDA) rates and analysis for all cases diagnosed in

2000-2009.

(Continued on the next page)

(Continued from COUNTY AT DX GEOCODE 2000)

Code	Description
001-997	County at diagnosis. Valid FIPS code
998	Known town, city, state or country of residence but county code not known AND a resident outside of the state of reporting institution (must meet all criteria). Use this code for Canadian residents.
999	County unknown. The county of the patient is unknown, or the patient is not a United States resident. County is not documented in the patient's medical record.

COUNTY AT DX GEOCODE 2010

NAACCR Item #: 96

SAS Variable Name: County at DX Geocode 2010

Research Plus Limited-Field: Yes

Field Description: County at Diagnosis 2010 Code for the county of the patient's residence at

the time the tumor was diagnosed is a derived (geocoded) variable based on the Census Boundary files from 2010 Decennial Census. This code should be used for county and county-based (such as CHSDA) rates and analysis

for all cases diagnosed in 2010-2019.

Code	Description
001-997	County at diagnosis. Valid FIPS code
998	Known town, city, state or country of residence but county code not known AND a resident outside of the state of reporting institution (must meet all criteria). Use this code for Canadian residents.
999	County unknown. The county of the patient is unknown, or the patient is not a United States resident. County is not documented in the patient's medical record.

DERIVED SS1977--FLAG

NAACCR Item #: 3040

SAS Variable Name: Derived_SS1977_flag

Research Plus Limited-Field: No

Field Description: Flag to indicate whether the derived SEER Summary Stage 1977 was derived

from CS or EOD codes.

Code	Description
1	SS1977 derived from Collaborative Stage
2	SS1977 derived from EOD (prior to 2004)
Blank	Not derived

DERIVED SS2000--FLAG

NAACCR Item #: 3050

SAS Variable Name: Derived_SS2000_flag

Research Plus Limited-Field: No

Field Description: Flag to indicate whether the derived SEER Summary Stage 2000 was derived

from CS or EOD codes.

Code	Description
1	SS2000 derived from Collaborative Stage
2	SS2000 derived from EOD (prior to 2004)
Blank	Not derived

RX SUMM—RADIATION

NAACCR Item #: 1360

SAS Variable Name: Radiation Research Plus Limited-Field: No

Field Description: This data item indicates the method of radiation therapy performed as part of

the first course of treatment.

Code	Description
0	None; diagnosed at autopsy
1	Beam radiation
2	Radioactive implants
3	Radioisotopes
4	Combination of 1 with 2 or 3
5	Radiation, NOS – method or source not specified
6	Other radiation (1973-1987 cases only)
7	Patient or patient's guardian refused radiation therapy
8	Radiation recommended, unknown if administered
9	Unknown if radiation administered

RADIATION TO BRAIN OR CNS (1988-1997)

NAACCR Item #: 1370

SAS Variable Name: RadiationtoBrainorCNS 1988 1997

Research Plus Limited-Field: No

Field Description: This variable was only collected for years 1988-1997 for lung and leukemia

cases only. This data item codes for radiation given to the brain or central

nervous system at all facilities as part of the first course of therapy.

(continued on next page)

(continued from RADIATION TO BRAIN OR CNS (1988-1997))

Code	Description
0	None
1	Radiation
7	Refused
8	Recommended, unknown if administered
9	Unknown

SEER DATE OF DEATH

NAACCR Item #: N/A

SAS Variable Name: SEER DateofDeath Month, SEER DateofDeath Year

Research Plus Limited-Field: No (Available for NY and TX)

Field Description: Date of Death (Date of death per Medicare is available for all persons

included in the linkage)

Allowable values for month

MM = 01 - 12

Allowable values for year

YYYY=1999-2020

SEER DATE OF FOLLOW-UP RECODE

NAACCR Item #: N/A

 $SAS\ Variable\ Name:\ Month_of_last_follow_up_recode,\ Year_of_last_follow_up_recode$

Research Plus Limited-Field: No (Available for NY and TX)

Field Description: Date of Last Follow-up Recode, study cut off used (Date of death per

Medicare is available for all persons included in the linkage)

Allowable values for month

MM = 01 - 12

Allowable values for year

YYYY=1975+

YEAR OF BIRTH

NAACCR Item #: 240

SAS Variable Name: Year_of_birth Research Plus Limited-Field: Yes

Field Description: Birth year.

Allowable values
YYYY=1800+

DATE OF DIAGNOSIS FLAG

NAACCR Item #: 391

SAS Variable Name: Date_of_diagnosis_flag

Research Plus Limited-Field: Yes

Field Description: This flag explains why no appropriate value is in the field, Date of Diagnosis.

Code	Description
12	A proper value is applicable but not known (i.e., diagnosis date is unknown)
Blank	A valid date value is provided in item Date of Diagnosis or the date was not expected to have been transmitted.

DATE OF THERAPY STARTED FLAG

NAACCR Item #: 1261

SAS Variable Name: Date_therapy_started_flag

Research Plus Limited-Field: Yes

Field Description: This flag explains why no appropriate value is in the field, Date of Therapy

Started.

Code	Description
10	No information whatsoever can be inferred from this exceptional value
11	No proper value is applicable in this context (i.e., therapy was not administered)
12	A proper value is applicable but not known (i.e., therapy was administered and date is unknown)
Blank	A valid date value is provided in item Date of Therapy or the date was not expected to have been transmitted.

DATE OF BIRTH FLAG

NAACCR Item #: 241

SAS Variable Name: Date of birth flag

Research Plus Limited-Field: Yes

Field Description: This flag explains why no appropriate value is in the field, Date of Birth.

Code	Description
12	A proper value is applicable but not known (i.e., birth date is unknown)
Blank	A valid date value is provided in item Date of Birth or the date was not expected to have been transmitted.

DATE OF LAST FOLLOW-UP FLAG

NAACCR Item #: 1751

SAS Variable Name: Date_of_last_follow_up_flag

Research Plus Limited-Field: Yes

Field Description: This flag explains why no appropriate value is in the field, Date of Last

Follow-up.

Code	Description
12	A proper value is applicable but not known (i.e., date of last follow-up is unknown)
Blank	A valid date value is provided in item Date of Last Follow-up or the date was not expected to have been transmitted.

DATE THERAPY STARTED

NAACCR Item #: 1260

SAS Variable Name: month_therapy_started, Year_therapy_started

Research Plus Limited-Field: Yes

Field Description: Date of initiation of the first course therapy for the tumor being reported,

using the SEER definition of first course.

Allowable values for month

MM = 01 - 1214=Blank

Allowable values for year

YYYY=1975+

RX SUMM--OTHER

NAACCR Item #: 1420

SAS Variable Name: Other cancer directed therapy

Research Plus Limited-Field: Yes

Field Description: Identifies other treatment given at all facilities that cannot be defined as

surgery, radiation, or systemic therapy according to the defined data items in this manual. Treatment for reportable hematopoietic diseases can be supportive care, observation, or any treatment that does not meet the usual

definition in which treatment modifies, controls, removes, or destroys proliferating cancer tissue. Such treatments include phlebotomy,

transfusions, and aspirin.

(continued on the next page)

(continued from RX SUMM—OTHER)

Code	Description
0	None
1	Other
2	Other Experimental
3	Other-Double Blind
6	Other-Unproven
7	Refusal
8	Recommended
9	Unknown; unknown if administered

DERIVED AJCC-FLAG

NAACCR Item #: 3030

SAS Variable Name: Derived_AJCC_flag

Research Plus Limited-Field: No

Field Description: Flag to indicate whether the derived AJCC stage was derived from CS or

EOD codes.

Code	Description
0	AJCC Sixth Edition derived from Collaborative Staging
	Manual and Coding Instructions, Version 1.0
1	AJCC Sixth Edition derived from EOD (prior to 2004)
Blank	Not derived

DERIVED SS1977

NAACCR Item #: 3010

SAS Variable Name: Derived_SS1977 Research Plus Limited-Field: No

Field Description: This item is the derived "SEER Summary Stage 1977" from the CS

algorithm, effective with 2004+ diagnosis.

Code	Description
0	In Situ
1	Localized
2	Regional, direct extension
3	Regional, lymph nodes only
4	Regional, extension and nodes
5	Regional, NOS
7	Distant
8	Not applicable
9	Unknown/Unstaged

DERIVED SS2000

NAACCR Item #: 3020

SAS Variable Name: Derived_SS2000 Research Plus Limited-Field: No

Field Description: This item is the derived "SEER Summary Stage 2000" from the CS

algorithm, effective with 2004+ diagnosis.

Code	Description
0	In Situ
1	Localized
2	Regional, direct extension
3	Regional, lymph nodes only
4	Regional, extension and nodes
5	Regional, NOS
7	Distant
8	Not applicable
9	Unknown/Unstaged

SEER SUMMARY STAGE 1977

NAACCR Item #: 760

SAS Variable Name: SEER Summary stage 1977 9500

Research Plus Limited-Field: No

Field Description: Code for summary stage at the initial diagnosis or treatment of the reportable

tumor. This has traditionally been used by central registries to monitor time trends. For hospital registries, CoC requires its use in the absence of a defined AJCC classification. For site-specific definitions of categories, see

the SEER Summary Staging Guide.

SEER Summary Stage 1977 is limited to information available within 2 months of the date of diagnosis. NAACCR approved extension of this time period to 4 months for prostate tumors diagnosed beginning January 1, 1995...

Code	Description
0	In Situ
1	Localized
2	Regional, direct extension only
3	Regional, regional lymph nodes only
4	Regional, direct extension and regional nodes only
5	Regional, NOS
7	Distant
8	Not applicable
9	Unknown/Unstaged

SEER SUMMARY STAGE 2000

NAACCR Item #: 759

SAS Variable Name: SEER_Summary_stage_2000_0103

Research Plus Limited-Field: No

Field Description: Code for summary stage at the initial diagnosis or treatment of the reportable

tumor. For hospital registries, CoC requires its use in the absence of a defined AJCC classification. For site-specific definitions of categories, see

SEER Summary Staging Manual 2000.

Summary stage should include all information available through completion of surgery(ies) in the first course of treatment or within 4 months of diagnosis in the absence of disease progression, whichever is longer.

Code	Description
0	In Situ
1	Localized
2	Regional, direct extension only
3	Regional, regional lymph nodes only
4	Regional, direct extension and regional nodes only
5	Regional, NOS
7	Distant
8	Not applicable
9	Unknown/Unstaged

PRIMARY PAYER AT DX

NAACCR Item #: 630

SAS Variable Name: Primary_Payer_at_DX

Research Plus Limited-Field: Yes

Field Description: Primary payer/insurance carrier at the time of initial diagnosis and/or

treatment at the reporting facility.

Code	Description
01	Not insured
02	Not insured, self-pay
10	Insurance, NOS
20	Private Insurance: Managed care, HMO, or PPO
21	Private Insurance: Fee-for-Service
31	Medicaid
35	Medicaid – Administered through a Managed Care plan
60	Medicare/Medicare, NOS
61	Medicare with supplement, NOS
62	Medicare – Administered through a Managed Care plan
63	Medicare with private supplement
64	Medicare with Medicaid eligibility
65	TRICARE
66	Military
67	Veterans Affairs
68	Indian/Public Health Service
99	Insurance status unknown

RECODE ICD-O-2 TO 9

NAACCR Item #: N/A

SAS Variable Name: Recode_ICD_0_2_to_9

Research Plus Limited-Field: Yes

Field Description: Primary site/type recoded into ICD-9. An underscore in the right-most

position of an unlabeled value represents a blank. i.e., 140 -1409 is all values

starting with 140.

Code	Description
0001-9998	0001-9998
9999	Unable to convert

RECODE ICD-O-2 TO 10

NAACCR Item #: N/A

SAS Variable Name: Recode_ICD_0_2_to_10

Research Plus Limited-Field: Yes

Field Description: Primary site/type recoded into ICD-10. An underscore in the right-most

position of an unlabeled value represents a blank. i.e., C00 -C009 is all

values starting with C00.

Code	Description
A00Z999	A00Z999
8888	Needs to be hand reviewed
9999	Unable to convert

NHIA DERIVED HISPANIC ORIGIN

NAACCR Item #: 190

SAS Variable Name: NHIA_Derived_Hisp_Origin

Research Plus Limited-Field: No

Field Description: Code identifying persons of Spanish or Hispanic origin. This code is used by

hospital and central registries to show the "best guess" as to whether or not the person should be classified as Hispanic for purposes of calculating cancer rates. If the patient has multiple tumors, all records should have the same

code.

Code	Description
0	Non-Spanish-Hispanic-Latino
1	Mexican
2	Puerto Rican
3	Cuban
4	South or Central American excluding Brazil
5	Other specified Spanish/Hispanic origin including Europe
6	Spanish/Hispanic/Latino, NOS
7	NHIA Spanish surname match only
8	Dominican Republic
9	Unknown whether Spanish or not

OVER-RIDE AGE/SITE/MORPH

NAACCR Item #: 1990

SAS Variable Name: Age_site_edit_override

Research Plus Limited-Field: No

(continued on the next page)

(continued from OVER-RIDE AGE/SITE/MORPH)

Code	Description
Blank	Not reviewed
1	Reviewed and confirmed that age/site/histology combination is correct as coded
2	Reviewed and confirmed that case was diagnosed in utero
3	Reviewed and confirmed that conditions 1 and 2 apply

OVER-RIDE SEQNO/DXCONF

NAACCR Item #: 2000

SAS Variable Name: Sequencenumber_dx_conf_override

Research Plus Limited-Field: No

Code	Description
Blank	Not reviewed
1	Reviewed: Multiple primaries of special sites in which at least one diagnosis has not been microscopically
	least one diagnosis has not been microscopically
	confirmed have been reviewed.

OVER-RIDE SIT/LAT/SEQNO

NAACCR Item #: 2010

SAS Variable Name: Site type lat seq override

Research Plus Limited-Field: No

Code	Description
Blank	Not reviewed
1	Reviewed: Multiple primaries of the same histology (3
	digit) in the same primary site group have been reviewed.

OVER-RIDE SURG/DXCONF

NAACCR Item #: 2020

SAS Variable Name: Surgerydiagnostic_conf_override

Research Plus Limited-Field: No

Code	Description
Blank	Not reviewed
1	Reviewed: A patient who had (cancer-directed) surgery, but the tissue removed was not sufficient for microscopic
	confirmation.

OVER-RIDE SITE/TYPE

NAACCR Item #: 2030

SAS Variable Name: Site_type_edit_override

Research Plus Limited-Field: No

Code	Description
Blank	Not Reviewed
1	Reviewed: The coding of an unusual combination of primary site and histologic type has been reviewed.

OVER-RIDE HISTOLOGY

NAACCR Item #: 2040

SAS Variable Name: Histology_edit_override Research Plus Limited-Field: No

Code	Description
blank	Not Reviewed
1	Unusual Histology behavior combination reviewed.
2	Unusual Diagnostic Confirmation/Behavior combination reviewed.
3	Both scenarios above reviewed

OVER-RIDE REPORT SOURCE

NAACCR Item #: 2050

SAS Variable Name: Report source sequence override

Research Plus Limited-Field: No

Code	Description
blank	Not reviewed
1	Reviewed: A second or subsequent primary with a reporting source of death certificate only has been reviewed and is indeed an independent primary.

OVER-RIDE ILL-DEFINE SITE

NAACCR Item #: 2060

SAS Variable Name: Seq_ill_defined_site_override

Research Plus Limited-Field: No

Code	Description
blank	Not reviewed
1	Reviewed: A second or subsequent primary reported with an ill-defined primary site (C76.0-C76.8, C80.9) has been reviewed and is an independent primary.

OVER-RIDE LEUK, LYMPHOMA

NAACCR Item #: 2070

SAS Variable Name: LeukLymphdxconfirmationoverride

Research Plus Limited-Field: No

Code	Description
blank	Not reviewed
1	Reviewed: A patient was diagnosed with leukemia or
	lymphoma and the diagnosis was not microscopically
	confirmed.

OVER-RIDE SITE/BEHAVIOR

NAACCR Item #: 2071

SAS Variable Name: Site behavior override

Research Plus Limited-Field: No

Field Description: The IF39 edit does not allow in situ cases of nonspecific sites, such as

gastrointestinal tract, NOS; uterus, NOS; female genital tract, NOS; male genital organs, NOS; and others. This over-ride indicates that the conflict

has been reviewed.

Code	Description
blank	Not reviewed
1	Reviewed: A patient has an in situ cancer of a nonspecific site and no further information about the primary site is available.

OVER-RIDE SITE/EOD/DX DT

NAACCR Item #: 2072

SAS Variable Name: Site EOD dx date override

Research Plus Limited-Field: No

Field Description: The IF40 edit does not allow "localized" disease with non-specific sites, such

as mouth, NOS; colon, NOS (except histology 8220); bone, NOS; female genital system, NOS; male genital organs, NOS; and others. This over-ride

indicates that the conflict has been reviewed.

Code	Description
blank	Not reviewed
1	Reviewed: A patient had "localized" disease with a non-
	specific site and no further information about the primary
	site is available.

OVER-RIDE SITE/LAT/EOD

NAACCR Item #: 2073

SAS Variable Name: Site laterality EOD override

Research Plus Limited-Field: No

Field Description: The IF41 edit for paired organs does not allow EOD to be specified as in situ,

localized, or regional by direct extension if laterality is coded as "bilateral, side unknown" or "laterality unknown." This over-ride indicates that the

conflict has been reviewed.

Code	Description
blank	Not reviewed
1	Reviewed: A patient had laterality coded non-specifically and EOD coded specifically.

OVER-RIDE SITE/LAT/MORPH

NAACCR Item #: 2074

SAS Variable Name: Site_laterality_morph_override

Research Plus Limited-Field: No

Field Description: The IF42 edit does not allow behavior code of "in situ" with non-specific

laterality codes. This over-ride indicates that the conflict has been reviewed.

Code	Description
blank	Not reviewed
1	Reviewed: A patient had behavior code of "in situ" and laterality is
	not stated as right: origin of primary; left: origin of primary; or only
	one side involved, right or left origin not specified.

SUMMARY STAGE 2000

NAACCR Item #: 759

SAS Variable Name: SEER Summary Stage 2000newonly

Research Plus Limited-Field: Yes

Field Description: Code for summary stage at the initial diagnosis or treatment of the reportable

tumor. For hospital registries, CoC requires its use in the absence of a defined AJCC classification. For site-specific definitions of categories, see

SEER Summary Staging Manual 2000.

Summary stage should include all information available through completion of surgery(ies) in the first course of treatment or within 4 months of diagnosis in the absence of disease progression, whichever is longer.

Available only for NY, MA, ID and Texas registries for diagnosis years 2001-2003.

(continued on the next page)

(continued from SUMMARY STAGE 2000)

Code	Description
0	In situ
1	Localized
2	Regional, direct extension only
3	Regional, regional lymph nodes only
4	Regional, direct extension and regional lymph nodes
5	Regional, NOS
7	Distant
8	Not applicable
9	Unstaged

INSURANCE RECODE 2007+

NAACCR Item #: N/A

SAS Variable Name: Insurance Recode 2007

Research Plus Limited-Field: Yes

Field Description: Created from NAACCR Field Primary Payer at DX, Item #630. Caution is

urged when using this variable. Most patients who were 65 years of age and older at the time of diagnosis that were classified as "Uninsured", having "Private Insurance", or as "Insurance status unknown" were Medicare eligible, while patients diagnosed before 65 years of age were not. Stratification of this variable by these age groups may be warranted.

Code	Description
1	Uninsured
2	Any Medicaid
3	Insured
4	Insured/No specifics
5	Insurance status unknown
9	Not Available (Los Angeles)

YOST (ACS 2006-2010)

NAACCR Item #: N/A

SAS Variable Name: Yost_ACS_2006_2010

Research Plus Limited-Field: Yes

Field Description: Yost Index calculated from ACS 2006-2010.

Allowable values

8119 – 11901, 65534=Blank

YOST (ACS 2010-2014)

NAACCR Item #: N/A

SAS Variable Name: Yost_ACS_2010_2014

Research Plus Limited-Field: Yes

Field Description: Yost Index calculated from ACS 2010-2014.

Allowable values

8122 - 11890, 65534=Blank

YOST (ACS 2013-2017)

NAACCR Item #: N/A

SAS Variable Name: Yost_ACS_2013_2017

Research Plus Limited-Field: Yes

Field Description: Yost Index calculated from ACS 2013-2017.

Allowable values

8126 – 11888, 65534=Blank

YOST (ACS 2006-2010) - STATE BASED

NAACCR Item #: N/A

SAS Variable Name: Yost_ACS_2006_2010_State_based

Research Plus Limited-Field: Yes

Field Description: Yost Index calculated from ACS 2006-2010.

Allowable values

8051 – 11983, 65534=Blank

YOST (ACS 2010-2014) – STATE BASED

NAACCR Item #: N/A

SAS Variable Name: Yost ACS 2010 2014 State based

Research Plus Limited-Field: Yes

Field Description: Yost Index calculated from ACS 2010-2014.

Allowable values

8038 - 11935, 65534=Blank

YOST (ACS 2013-2017) – STATE BASED

NAACCR Item #: N/A

SAS Variable Name: Yost_ACS_2013_2017_State_based

Research Plus Limited-Field: Yes

Field Description: Yost Index calculated from ACS 2013-2017.

Allowable values

8060 – 11940, 65534=Blank

YOST (ACS 2006-2010) QUINTILE

NAACCR Item #: N/A

SAS Variable Name: Yost ACS 2006 2010 quintile

Research Plus Limited-Field: Yes

Field Description: Quintile grouping for the Yost Index calculated from ACS 2006-2010.

Code	Description
1	Group 1 (lowest SES)
2	Group 2
3	Group 2 Group 3 Group 4
4	Group 4
5	Group 5 (highest SES)
6	Blanks

YOST (ACS 2010-2014) QUINTILE

NAACCR Item #: N/A

SAS Variable Name: Yost_ACS_2010_2014_quintile

Research Plus Limited-Field: Yes

Field Description: Quintile grouping for the Yost Index calculated from ACS 2010-2014.

Code	Description
1	Group 1 (lowest SES)
2	Group 2
3	Group 2 Group 3
4	Group 4
5	Group 5 (highest SES)
6	Blanks

YOST (ACS 2013-2017) QUINTILE

NAACCR Item #: N/A

SAS Variable Name: Yost_ACS_2013_2017_quintile

Research Plus Limited-Field: Yes

Field Description: Quintile grouping for the Yost Index calculated from ACS 2013-2017.

Code	Description
1	Group 1 (lowest SES)
2	Group 2
3	Group 2 Group 3
4	Group 4
5	Group 5 (highest SES)
6	Blanks

YOST (ACS 2006-2010) – STATE BASED QUINTILE

NAACCR Item #: N/A

SAS Variable Name: YostACS20062010Statebas

Research Plus Limited-Field: Yes

Field Description: Quintile grouping for the state based Yost Index from ACS 2006-2010.

Code	Description
1	Group 1 (lowest SES)
2	Group 2
3	Group 2 Group 3
4	Group 4
5	Group 5 (highest SES)
6	Blanks

YOST (ACS 2010-2014) - STATE BASED QUINTILE

NAACCR Item #: N/A

SAS Variable Name: YostACS20102014Statebas

Research Plus Limited-Field: Yes

Field Description: Quintile grouping for the state based Yost Index from ACS 2010-2014.

Code	Description
1	Group 1 (lowest SES)
2	Group 2
3	Group 3
4	Group 4
5	Group 2 Group 3 Group 4 Group 5 (highest SES)
6	Blanks

YOST (ACS 2013-2017) - STATE BASED QUINTILE

NAACCR Item #: N/A

SAS Variable Name: YostACS20132017Statebas

Research Plus Limited-Field: Yes

Field Description: Quintile grouping for the state based Yost Index from ACS 2013-2017.

Code	Description
1	Group 1 (lowest SES)
2	Group 2
3	Group 3
4	Group 4
5	Group 2 Group 3 Group 4 Group 5 (highest SES)
6	Blanks

BRAIN MOLECULAR MARKERS 2018

NAACCR Item #: 3816

SAS Variable Name: Brain_Molecular_Markers_2018

Research Plus Limited-Field: Yes

Field Description: Multiple brain molecular markers have become standard pathology

components necessary for diagnosis. This data item captures clinically important brain cancer subtypes identified by molecular

markers that are not distinguishable by ICD-O-3 codes.

Code	Description
01	Diffuse astrocytoma, IDH-mutant (9400/3)
02	Diffuse astrocytoma, IDH-wildtype (9400/3)
03	Anaplastic astrocytoma, IDH-mutant (9401/3)
04	Anaplastic astrocytoma, IDH-wildtype (9401/3)
05	Glioblastoma, IDH-wildtype (9440/3)
06	Oligodendroglioma, IDH-mutant and 1 p/19q co-deleted (9450/3)
07	Anaplastic oligodendroglioma, IDH-mutant and 1 p/19q co-deleted (9451/3)
08	Medulloblastoma, SHH-activated and TP53-wildtype (9471/3)
09	Embryonal tumor with multilayered rosettes, C19MC-altered (9478/3)
85	Not applicable: Histology not 9400/3, 9401/3, 9440/3, 9450/3, 9451/3, 9471/3, 9478/3
86	Benign or borderline tumor
87	Test ordered, results not in chart
88	Not applicable: Information not collected for this case (If this item is required by your standard setter, use of code 88 will result in an edit error.)
99	Not documented in patient record No microscopic confirmation Brain molecular markers not assessed or unknown if assessed

(Continued from BRAIN MOLECULAR MARKERS 2018)

*Each Site-Specific Data Item (SSDI) applies only to selected primary sites, histologies, and years of diagnosis. Depending on applicability and standard-setter requirements, SSDIs may be left blank.

SITE-SPECIFIC DATA ITEMS (SSDI)

NAACCR Item #: N/A

SAS Variable Names: AFPPostOrchiectomyLabValueRecod,

AFPPretreatmentInterpretationRe,

••••

Ulceration Recode 2010

VisceralandParietalPleuralInvas

Research Plus Limited-Field: Yes

Field Description: The Site Specific Data Items can be found here:

https://seer.cancer.gov/seerstat/variables/seer/ssdi/

Each Site-Specific Data Item (SSDI) applies only to selected primary sites, histologies, and years of diagnosis. Depending on applicability and

standard-setter requirements, SSDIs may be left blank.

ENHANCED 5% FLAG

NAACCR Item #: N/A

SAS Variable Name: enhanced five percent flag

Research Plus Limited-Field: Yes

Field Description: Identifies patients who are found in the 5% sample. This variable comes

from the MBSF file.

Code	Description
Y	Found in the 5% sample

DATE OF DEATH FLAG CREATED

NAACCR Item #: N/A

SAS Variable Name: Date_of_Death_Flag_Created

Research Plus Limited-Field: No (Available for NY and TX)

Field Description: Shows the level of agreement between the SEER and Medicare on the

patients death date. Dates of death after 12/20 were treated as not dead for comparison purposes. (Date of death per Medicare is available for all

persons included in the linkage)

(Continued on the next page)

(Continued from DATE OF DEATH FLAG CREATED)

Code	Description
0	Not dead by 12/20
1	Dead, both files agree
2	Dead, off by 1-3 months
3	Dead, off by 4-6 months
4	Dead in MEDICARE only
5	Dead in SEER only
	Dead but number of months could not be calculated due to
6	the fact that month was missing for either SEER or
	MEDICARE.

DATE OF BIRTH FLAG CREATED

NAACCR Item #: N/A

SAS Variable Name: Date of Birth Flag Created

Research Plus Limited-Field: Yes

Field Description: Shows the level of agreement between SEER and Medicare on the patient's

birth date.

Code	Description
0	Both files agree on birth date
1	Birth date off by 1-3 months
2	Birth date off by 4-6 months
3	Birth date off by 7-11 months
4	Birth date off by one year
5	Birth date off by 13-23 months
6	Birth date off by 2 years
7	Birth date off by 25-35 months
8	Birth date off by 3 years
9	Birth date off by 37+ months
Blank	Birth date is missing

ONCOTYPE DX BREAST RECURRENCE SCORE

NAACCR Item #: N/A

SAS Variable Name: OncotypeDXBreastRecurrenceScore

Research Plus Limited-Field: No

Note: Available for diagnosis years 2000-2017 for all registries, except MA and TX.

*Special permission is required to receive this variable

Codes
000-100
000-100

ONCOTYPE DX RS GROUP (RS < 18, RS 18-30, RS > 30)

NAACCR Item #: N/A

SAS Variable Name: OncotypeDXRSgroupRS18RS1830RS30

Research Plus Limited-Field: No

Note: Available for diagnosis years 2000-2017 for all registries, except MA and TX.

*Special permission is required to receive this variable

Codes	Description
1	Low
2	Intermediate
3	High

ONCOTYPE DX REASON NO SCORE LINKED

NAACCR Item #: N/A

SAS Variable Name: OncotypeDXreasonno_score_linked

Research Plus Limited-Field: No

Note: Available for diagnosis years 2000-2017 for all registries, except MA and TX.

*Special permission is required to receive this variable

Codes	Description
1	Cancelled Test – Cancelled by physician or patients before result was returned
2	Failed Test – Inadequate tissue sample
3	Outside Analysis Criteria
4	Non-Unique – Patient had multiple tumors

ONCOTYPE DX DELIVERED DATE

NAACCR Item #: N/A

SAS Variable Name: Oncotype_DX_year_of_test_report,

OncotypeDX month of test report

Research Plus Limited-Field: No

Note: Available for diagnosis years 2000-2017 for all registries, except MA and TX.

*Special permission is required to receive this variable

Allowable values for month

MM = 01 - 12

14=Blank

Allowable values for year

YYYY=2004-2017

ONCOTYPE DX MONTHS SINCE DIAGNOSIS

NAACCR Item #: N/A

SAS Variable Name: OncotypeDXmonthssince diagnosis

Research Plus Limited-Field: No

Note: Available for diagnosis years 2000-2017 for all registries, except MA and TX.

*Special permission is required to receive this variable

Codes	Description
000-996	Valid months
997	Unknown
998	Test before DX

^{*}Unknown occurs when month of diagnosis is unknown and year of diagnosis is not greater than test year.

2015 ADI STATE (DECILE) AND NATIONAL (PERCENTILE) RANKINGS

NAACCR Item #: N/A

SAS Variable Name: adi_strank2015, adi_natrank2015

Research Plus Limited-Field: Yes

Note: Kind AJH, Buckingham W. Making Neighborhood Disadvantage Metrics Accessible: The Neighborhood Atlas. New England Journal of Medicine, 2018. 378: 2456-2458.

DOI: 10.1056/NEJMp1802313. PMCID: PMC6051533.

AND

University of Wisconsin School of Medicine and Public Health.

2015 Area Deprivation Index v3.1. Downloaded from

https://www.neighborhoodatlas.medicine.wisc.edu/ on 5/31/2023 individual files time stamped as 7/14/2021.

Development of the Neighborhood Atlas® ADI was supported by the National Institute on Aging of the National Institutes of Health under Award Number R01AG070883 (PI: Kind, Bendlin), the National Institute On Minority Health And Health Disparities of the National Institutes of Health under Award Number R01MD010243 (PI: Kind), the National Institute on Aging of the National Institutes of Health under Award Number RF1AG057784 (PI: Kind), and the University of Wisconsin School of Medicine and Public Health Center for Health Disparities Research.

*Special permission is required to receive this variable

Codes	Description
01-10	Valid for state
001-100	Valid for Nation
KVM	ADI suppressed due to Key Missing Variables
GQ	ADI suppressed due to Group Quarters
PH	ADI suppressed due to low population and/or housing

Codes	Description
GQ_PH	ADI suppressed due to both (GQ and PH) suppression criteria.
QDI	ADI suppressed due to Questionable Data Integrity
NA/NONE/Blank	Missing ADI values*

- *ADI may be missing for multiple reasons.
 - The ADI is calculated at the Census Block Group level based on American Community Survey (ACS) data, but are linked to the SEER-Medicare data using a Census Block Group-9digit zip code crosswalk. The crosswalking method is convenient, but not always exact (i.e., not all 9digit zip codes match to a Census Block Group).
 - Zip codes change over time. The zip codes available in the SEER-Medicare data may not be included in the crosswalk. The 2015 ADI crosswalk links Census Block Groups to 9digit zip codes that were in effect in 3rd quarter 2016. The 9digit zip codes available in SEER-Medicare are from 1999+.
 - The 9digit zip codes available in SEER-Medicare come from the Medicare enrollment data. Therefore, linkage to the ADI variables is only possible for persons enrolled in Medicare at the time of cancer diagnosis.
 - Residential ADI measures are not available for Medicare beneficiaries with nonresidential zip codes (e.g., post office box zip codes) because their listed zip code does not provide information about where they reside.

2020 ADI STATE (DECILE) AND NATIONAL (PERCENTILE) RANKINGS

NAACCR Item #: N/A

SAS Variable Name: adi strank2020, adi natrank2020

Research Plus Limited-Field: Yes

Note: Kind AJH, Buckingham W. Making Neighborhood Disadvantage Metrics Accessible: The Neighborhood Atlas. New England Journal of Medicine, 2018. 378: 2456-2458.

DOI: 10.1056/NEJMp1802313. PMCID: PMC6051533.

AND

University of Wisconsin School of Medicine and Public Health.

2020 Area Deprivation Index v3.2. Downloaded from

https://www.neighborhoodatlas.medicine.wisc.edu/ on 5/31/2023 individual files time stamped as 9/7/2022.

Development of the Neighborhood Atlas® ADI was supported by the National Institute on Aging of the National Institutes of Health under Award Number R01AG070883 (PI: Kind, Bendlin), the National Institute On Minority Health And Health Disparities of the National Institutes of Health under Award Number R01MD010243 (PI: Kind), the National Institute on Aging of the National Institutes of Health under Award Number RF1AG057784 (PI: Kind), and the University of Wisconsin School of Medicine and Public Health Center for Health Disparities Research.

*Special permission is required to receive this variable

Codes	Description
01-10	Valid for state
001-100	Valid for Nation
KVM	ADI suppressed due to Key Missing Variables
GQ	ADI suppressed due to Group Quarters
PH	ADI suppressed due to low population and/or housing
GQ_PH	ADI suppressed due to both (GQ and PH) suppression criteria.
QDI	ADI suppressed due to Questionable Data Integrity
NA/NONE/Blank	Missing ADI values*

^{*}ADI may be missing for multiple reasons.

- The ADI is calculated at the Census Block Group level based on American Community Survey (ACS) data, but are linked to the SEER-Medicare data using a Census Block Group-9digit zip code crosswalk. The crosswalking method is convenient, but not always exact (i.e., not all 9digit zip codes match to a Census Block Group).
- Zip codes change over time. The zip codes available in the SEER-Medicare data may not be included in the crosswalk. The 2015 ADI crosswalk links Census Block Groups to 9digit zip codes that were in effect in 3rd quarter 2016. The 9digit zip codes available in SEER-Medicare are from 1999+.
- The 9digit zip codes available in SEER-Medicare come from the Medicare enrollment data. Therefore, linkage to the ADI variables is only possible for persons enrolled in Medicare at the time of cancer diagnosis.
- Residential ADI measures are not available for Medicare beneficiaries with nonresidential zip codes (e.g., post office box zip codes) because their listed zip code does not provide information about where they reside.